IDATA - 7 Day Food Checklist Person: Data Dictionary

TABLE OF CONTENTS

IDATA - 7 Day Food Checklist Person: Data Dictionary	1
Document Summary	2
IDATA - 7 Day Food Checklist Person: Data Dictionary	3
Section 1: Identifiers	3
Section 2: Form Information	4
Section 3: Foods Summary	.10
Section 4: Administration 1 Food Counts	.13
Section 5: Administration 2 Food Counts	.24
Section 6: Administration 1 Food Maximums	.35
Section 7: Administration 2 Food Maximums	.46
Section 8: Administration 1 Food Hybrid Counts	.57
Section 9: Administration 2 Food Hybrid Counts	.74

Document Summary

Property	Value
Document Title	IDATA - 7 Day Food Checklist Person: Data Dictionary
Date Created	03/21/2016
For Dataset	sevendayfood
Sections	9
Entries	254
Document Filename	dictionary_sevendayfood.070116.rtf

IDATA - 7 Day Food Checklist Person: Data Dictionary

Section 1: Identifiers

Variable	Label	Description	Format Text
build	Build	The date that the programs were last run, stored as a SAS date.	SAS Date
iid	IDATA ID	IDATA ID	Char

Section 2: Form Information

	Variable	Label	Description	Format Text
admin1	_date1-7	Date of Day [X] for Administration 1	The date that each day was completed for administration 1. This is the date on which the food recorded for that day was eaten. Usually, the date entered on the form is the date for the first day. However, in cases where the date entered on the form has a different day of the week than what was recorded for the first day, it is assumed that the date was entered on a different day. If the day of the week for the first day is one day after the day of the week for the date entered, it is assumed the date was entered on the day before the form was started. Otherwise, it is assumed that the date was entered on a day after the form was started.	SAS Date .M="Missing" .N="Not Applicable"
admin1	_day_of_week1-7	Day of the Week for Day [X] of Administration 1	The day of the week for each day of administration 1. This is usually the day marked on the form. However, in cases where multiple records were recorded as being the same day of the week, the first record is assumed to have a correct day of the week, and subsequent records are assigned days of the week such that they go in the order that the records were received (e.g., if the first record was a Monday, the second is set to Tuesday, the third to Wednesday, etc.).	.M="Missing" .N="Not Applicable" 1="Sunday" 2="Monday" 3="Tuesday" 4="Wednesday" 5="Thursday" 6="Friday" 7="Saturday"

Variable	Label	Description	Format Text
admin1_day_status	Problem Status for Day of Week and Date for Administration 1	Indicates if there were any problems with the days of the week or the date recorded for administration 1.	.N="Not Applicable" 1="No problems with days or date" 2="Days in reverse order" 3="Days out of order" 4="Less than 7 days" 5="Multiple records with same day of week" 6="Less than 7 days; Multiple records with same day of week" 7="Days of the week missing" 11="Date missing" 12="Days in reverse order; Date missing" 13="Days out of order; Date missing" 14="Less than 7 days; Date missing" 15="Multiple records with same day of week; Date missing" 16="Less than 7 days; Multiple records with same day of week; Date missing" 17="Days of the week missing; Date missing"
admin1_percent_unclea r	Percent of Foods Completed With Count Unclear for Administration 1	The percentage of foods that were completed in an unclear way across all days for administration 1. A food is considered to have been completed in an unclear way if there are gaps in the checked boxes for that food or if one or more boxes in the middle of the row were checked for that food. Some unexpected ways of completing the question, such as starting from the right or starting from the second row for the foods with 12 boxes, were more easily interpretable. In those cases, the number of times the food was eaten was determined to be the number of boxes checked. Because those patterns of marking the boxes had a clear interpretation, they are not considered unclear in this variable.	Numeric .N="Not Applicable"

	Variable	Label	Description	Format Text
admin2	_date1-7	Date of Day [X] for Administration 2	The date that each day was completed for administration 2. This is the date on which the food recorded for that day was eaten. Usually, the date entered on the form is the date for the first day. However, in cases where the date entered on the form has a different day of the week than what was recorded for the first day, it is assumed that the date was entered on a different day. If the day of the week for the first day is one day after the day of the week for the date entered, it is assumed the date was entered on the day before the form was started. Otherwise, it is assumed that the date was entered on a day after the form was started.	SAS Date .M="Missing" .N="Not Applicable"
admin2	_day_of_week1-7	Day of the Week for Day [X] of Administration 2	The day of the week for each day of administration 2. This is usually the day marked on the form. However, in cases where multiple records were recorded as being the same day of the week, the first record is assumed to have a correct day of the week, and subsequent records are assigned days of the week such that they go in the order that the records were received (e.g., if the first record was a Monday, the second is set to Tuesday, the third to Wednesday, etc.).	.M="Missing" .N="Not Applicable" 1="Sunday" 2="Monday" 3="Tuesday" 4="Wednesday" 5="Thursday" 6="Friday" 7="Saturday"

Variable	Label	Description	Format Text
admin2_day_status	Problem Status for Day of Week and Date for Administration 2	Indicates if there were any problems with the days of the week or the date recorded for administration 2.	.N="Not Applicable" 1="No problems with days or date" 2="Days in reverse order" 3="Days out of order" 4="Less than 7 days" 5="Multiple records with same day of week" 6="Less than 7 days; Multiple records with same day of week" 7="Days of the week missing" 11="Date missing" 12="Days in reverse order; Date missing" 13="Days out of order; Date missing" 14="Less than 7 days; Date missing" 15="Multiple records with same day of week; Date missing" 16="Less than 7 days; Multiple records with same day of week; Date missing" 17="Days of the week missing; Date missing"
admin2_percent_unclea r	Percent of Foods Completed With Count Unclear for Administration 2	The percentage of foods that were completed in an unclear way across all days for administration 2. A food is considered to have been completed in an unclear way if there are gaps in the checked boxes for that food or if one or more boxes in the middle of the row were checked for that food. Some unexpected ways of completing the question, such as starting from the right or starting from the second row for the foods with 12 boxes, were more easily interpretable. In those cases, the number of times the food was eaten was determined to be the number of boxes checked. Because those patterns of marking the boxes had a clear interpretation, they are not considered unclear in this variable.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
date_problem_flag	Unexpected 7 Day Food Checklist Dates when Compared with Clinic Visit Dates	Indicates if there are any problems with the dates of the form when compared with the clinic visit dates. The form for the first administration of the 7 Day Food Checklist was typically given to the participant at the first clinic visit, while the form for the second administration of the 7 Day Food Checklist was completed around the third clinic visit.	0="No problems" 1="Administration 1 before clinic visit 1" 2="Administration 2 appears to be associated with clinic visit 2" 3="Administration 2 is more than a month from when expected" 4="Administration 1 and 2 dates both problematic"
has_administration1	Has Data for Administration 1	Indicates if the participant has data for administration 1 of the 7 Day Food Checklist. The 7 Day Food Checklist was supposed to be administered twice to each participant, at the start and end of the participant's time in the trial.	0="No" 1="Yes"
has_administration2	Has Data for Administration 2	Indicates if the participant has data for administration 2 of the 7 Day Food Checklist. The 7 Day Food Checklist was supposed to be administered twice to each participant, at the start and end of the participant's time in the trial.	0="No" 1="Yes"
num_days1	Number of Days Completed for Administration 1	The number of days with any data for administration 1.	Numeric .N="Not Applicable"
num_days2	Number of Days Completed for Administration 2	The number of days with any data for administration 2.	Numeric .N="Not Applicable"
num_forms	Number of 7 Day Food Checklist Forms	The number of 7 Day Food Checklists completed by the participant. The 7 Day Food Checklist was supposed to be administered twice to each participant, at the start and end of the participant's time in the trial.	Numeric

Variable	Label	Description	Format Text
admin1_sms_completio n_date	Completion Date from Study Management System for Administration 1	Completion date for administration 1 from the Study Management System. This in generally when the form was completed by the participant, but may be a different date if the status was set in the Study Management System on a different date. When a date was not entered on the form, this date can be used as an estimate for when the participant completed the form.	SAS Date .M="Missing" .N="Not Applicable"
admin2_sms_completio n_date	Completion Date from Study Management System for Administration 2	Completion date for administration 2 from the Study Management System. This in generally when the form was completed by the participant, but may be a different date if the status was set in the Study Management System on a different date. When a date was not entered on the form, this date can be used as an estimate for when the participant completed the form.	SAS Date .M="Missing" .N="Not Applicable"

Section 3: Foods Summary

Variable	Label	Description	Format Text
admin1_num_foods	Number of Foods Indicated for Administration 1	The number of foods that were eaten in total across all days for administration 1. The count of foods eaten in this	Numeric .N="Not Applicable"
		variable counts each food up to once per day regardless of how many times it was eaten in a day.	
admin1_num_foods1-7	Number of Different Foods Indicated for Day [X] of Administration 1	The number of different foods that were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		The count of foods eaten in this variable counts each food only once regardless of how many times it was eaten in a day.	
admin1_num_foods_un clear	Number of Foods Completed With Count Unclear for Administration 1	The number of different foods that were completed in an unclear way in total across all days for administration 1.	Numeric .N="Not Applicable"
		A food is considered to have been completed in an unclear way if there are gaps in the checked boxes for that food or if one or more boxes in the middle of the row were checked for that food.	
		Some unexpected ways of completing the question, such as starting from the right or starting from the second row for the foods with 12 boxes, were more easily interpretable. In those cases, the number of times the food was eaten was determined to be the number of boxes checked.	
		Because those patterns of marking the boxes had a clear interpretation, they are not included in the count in this variable.	

Variable	Label	Description	Format Text
admin1_num_foods_un clear1-7	Number of Foods Completed With Count Unclear for Day [X] of Administration 1	The number of different foods that were completed in an unclear way for each day for administration 1.	Numeric .N="Not Applicable"
		A food is considered to have been completed in an unclear way if there are gaps in the checked boxes for that food or if one or more boxes in the middle of the row were checked for that food.	
		Some unexpected ways of completing the question, such as starting from the right or starting from the second row for the foods with 12 boxes, were more easily interpretable. In those cases, the number of times the food was eaten was determined to be the number of boxes checked. Because those patterns of marking the boxes had a clear interpretation, they are not included in the count in these variables.	
admin2_num_foods	Number of Foods Indicated for Administration 2	The number of foods that were eaten in total across all days for administration 2. The count of foods eaten in this variable counts each food up to once per day regardless of how many times it was eaten in a day.	Numeric .N="Not Applicable"
admin2_num_foods1-7	Number of Different Foods Indicated for Day [X] of Administration 2	The number of different foods that were eaten on each day for administration 2. The count of foods eaten in this variable counts each food only once regardless of how many times it was eaten in a day.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_num_foods_un clear	Number of Foods Completed With Count Unclear for Administration 2	The number of different foods that were completed in an unclear way in total across all days for administration 2.	Numeric .N="Not Applicable"
		A food is considered to have been completed in an unclear way if there are gaps in the checked boxes for that food or if one or more boxes in the middle of the row were checked for that food.	
		Some unexpected ways of completing the question, such as starting from the right or starting from the second row for the foods with 12 boxes, were more easily interpretable. In those cases, the number of times the food was eaten was determined to be the number of boxes checked. Because those patterns of marking the boxes had a clear interpretation, they are not included in the count in this variable.	
admin2_num_foods_un clear1-7	Number of Foods Completed With Count Unclear for Day [X] of Administration 2	The number of different foods that were completed in an unclear way for each day for administration 2. A food is considered to have been completed in an unclear way if there are gaps in the checked boxes for that food or if one or more boxes in the middle of the row were checked for that food. Some unexpected ways of completing the question, such as starting from the right or starting from the second row for the foods with 12 boxes, were more easily interpretable. In those cases, the number of times the food was eaten was determined to be the number of boxes checked. Because those patterns of marking the boxes had a clear interpretation, they are not included in the count in these variables.	Numeric .N="Not Applicable"

Section 4: Administration 1 Food Counts

Variable	Label	Description	Format Text
admin1_all_bread_grain _count1-7	Number of Times Breads or Grains were Eaten on Day [X] of Administration 1	The number of times bread and grain products were eaten on each day for administration 1. This is the sum of the values from the variables admin1_cereal_count, admin1_oth_bread_count, admin1_oth_bread_count, admin1_tortillas_count, admin1_doughnuts_count, and admin1_pancakes_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times bread and grain	Numeric .N="Not Applicable"
admin1_all_dessert_cou nt1-7	Number of Times Cookies or Ice Cream were Eaten on Day [X] of Administration 1	products were eaten. The number of times dessert foods were eaten on each day for administration 1. This is the sum of the values from the variables admin1_cookies_count and admin1_ice_cream_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times dessert foods were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_all_fruit_count1 -7	Number of Times Fruit was Eaten on Day [X] of Administration 1	The number of times fruits were eaten on each day for administration 1. This is the sum of the values from the variables admin1_fruit_salad_count and admin1_oth_fruit_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times fruits were eaten.	Numeric .N="Not Applicable"
admin1_all_meat_count 1-7	Number of Times Meat, Poultry, or Fish were Eaten on Day [X] of Administration 1	The number of times meat was eaten on each day for administration 1. This is the sum of the values from the variables admin1_beef_pork_count, admin1_poultry_count, and admin1_fish_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times meat was eaten.	Numeric .N="Not Applicable"
admin1_all_starch_coun t1-7	Number of Times Potatoes, Rice, or Pasta were Eaten on Day [X] of Administration 1	The number of times potatoes, rice, or pasta were eaten on each day for administration 1. This is the sum of the values from the variables admin1_potatoes_count, admin1_pasta_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times potatoes, rice, or pasta were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_all_vegetable_c ount1-7	Number of Times Vegetables were Eaten on Day [X] of Administration 1	The number of times vegetables were eaten on each day for administration 1. This is the sum of the values from the variables admin1_salad greens_count, admin1_lettuce_count, and admin1_oth_veg_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times vegetables were eaten.	Numeric .N="Not Applicable"
admin1_beans_count1-7	Number of Times Beans were Eaten on Day [X] of Administration 1	The number of times cooked, dried beans were eaten on each day for administration 1. This information comes from part of section D. One box is checked for each different meal or snack at which cooked, dried beans were eaten. This version of the variable uses the count of boxes checked as the number of times cooked, dried beans were eaten.	Numeric .N="Not Applicable"
admin1_beef_pork_cou nt1-7	Number of Times Beef or Pork was Eaten on Day [X] of Administration 1	The number of times beef, pork, ham, bacon, or sausage were eaten on each day for administration 1. This information comes from part of section B. One box is checked for each different meal or snack at which beef, pork, ham, bacon, or sausage were eaten. This version of the variable uses the count of boxes checked as the number of times beef, pork, ham, bacon, or sausage were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_butter_count1-7	Number of Times Butter or Margarine were Eaten on Day [X] of Administration 1	The number of times butter or margarine were eaten on each day for administration 1. This information comes from part of section G. One box is checked for each different meal or snack at which butter or margarine were eaten. This version of the variable uses the count of boxes checked as the number of times butter or margarine were eaten.	Numeric .N="Not Applicable"
admin1_candy_count1-7	Number of Times Candy was Eaten on Day [X] of Administration 1	The number of times candy was eaten on each day for administration 1. This information comes from part of section E. One box is checked for each different meal or snack at which candy was eaten. This version of the variable uses the count of boxes checked as the number of times candy was eaten.	Numeric .N="Not Applicable"
admin1_cereal_count1-7	Number of Times Cereal was Eaten on Day [X] of Administration 1	The number of times cereal was eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which cereal was eaten. This version of the variable uses the count of boxes checked as the number of times cereal was eaten.	Numeric .N="Not Applicable"
admin1_cheese_count1- 7	Number of Times Cheese was Eaten on Day [X] of Administration 1	The number of times cheese was eaten on each day for administration 1. This information comes from part of section C. One box is checked for each different meal or snack at which cheese was eaten. This version of the variable uses the count of boxes checked as the number of times cheese was eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_chili_count1-7	Number of Times Chili was Eaten on Day [X] of Administration 1	The number of times chili was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which chili was eaten.	
		This version of the variable uses the count of boxes checked as the number of times chili was eaten.	
admin1_cookies_count1 -7	Number of Times Cookies, Pie, Cake, or Brownies were Eaten on Day [X] of Administration 1	The number of times cookies, pie, cake, or brownies were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which cookies, pie, cake, or brownies were eaten.	
		This version of the variable uses the count of boxes checked as the number of times cookies, pie, cake, or brownies were eaten.	
admin1_doughnuts_cou nt1-7	Number of Times Doughnuts, Danishes, etc. were Eaten on Day [X] of Administration 1	The number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten.	
		This version of the variable uses the count of boxes checked as the number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten.	
admin1_eggs_count1-7	Number of Times Eggs were Eaten on Day [X] of Administration 1	The number of times eggs were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section C. One box is checked for each different meal or snack at which eggs were eaten.	
		This version of the variable uses the count of boxes checked as the number of times eggs were eaten.	

Variable	Label	Description	Format Text
admin1_fish_count1-7	Number of Times Fish was Eaten on Day [X] of Administration 1	The number of times fish or seafood were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section B. One box is checked for each different meal or snack at which fish or seafood were eaten.	
		This version of the variable uses the count of boxes checked as the number of times fish or seafood were eaten.	
admin1_fruit_salad_cou nt1-7	Number of Times Fruit Salad was Eaten on Day [X] of Administration 1	The number of times fruit salad or fruit cocktails were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which fruit salad or fruit cocktails were eaten.	
		This version of the variable uses the count of boxes checked as the number of times fruit salad or fruit cocktails were eaten.	
admin1_ice_cream_cou nt1-7	Number of Times Ice Cream was Eaten on Day [X] of Administration 1	The number of times ice cream, sorbet, or frozen yogurt were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which ice cream, sorbet, or frozen yogurt were eaten.	
		This version of the variable uses the count of boxes checked as the number of times ice cream, sorbet, or frozen yogurt were eaten.	
admin1_lettuce_count1- 7	Number of Times Lettuce was Eaten on Day [X] of Administration 1	The number of times lettuce other than in salad greens was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which lettuce other than in salad greens was eaten.	
		This version of the variable uses the count of boxes checked as the number of times lettuce other than in salad greens was eaten.	

Variable	Label	Description	Format Text
admin1_mayonnaise_co unt1-7	Number of Times Mayonnaise or Salad Dressing were Eaten on Day [X] of Administration 1	The number of times mayonnaise or salad dressing were eaten on each day for administration 1. This information comes from part of section G. One box is checked for each different meal or snack at which mayonnaise or salad dressing were eaten. This version of the variable uses the count of boxes checked as the number of times mayonnaise or salad dressing were eaten.	Numeric .N="Not Applicable"
admin1_mexican_count 1-7	Number of Times Mexican Food was Eaten on Day [X] of Administration 1	The number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten on each day for administration 1. This information comes from part of section A. One box is checked for each different meal or snack at which Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten. This version of the variable uses the count of boxes checked as the number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten.	Numeric .N="Not Applicable"
admin1_oth_bread_cou nt1-7	Number of Times Other Bread Items were Eaten on Day [X] of Administration 1	The number of times bread items other than those listed elsewhere were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which bread items other than those listed elsewhere were eaten. This version of the variable uses the count of boxes checked as the number of times bread items other than those listed elsewhere were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_oth_fruit_count 1-7	Number of Other Fruits Eaten on Day [X] of Administration 1	The number of fruits eaten on each day for administration 1 other than as part of fruit salads or fruit cocktails. This information comes from part of section D. One box is checked for each different fruit eaten other than as part of fruit salads or fruit cocktails at each meal or snack. This differs from most other questions on the form in that multiple boxes for other fruit can be marked for the same meal, rather than only marking at most one box per meal. This version of the variable uses the count of boxes checked as the number of fruits eaten other than as part of fruit salads or fruit cocktails.	Numeric .N="Not Applicable"
admin1_oth_veg_count1 -7	Number of Other Vegetables Eaten on Day [X] of Administration 1	The number of vegetables eaten on each day for administration 1 other than those listed elsewhere. This information comes from part of section D. One box is checked for each different vegetable eaten other than those listed elsewhere at each meal or snack. This differs from most other questions on the form in that multiple boxes for other vegetables can be marked for the same meal, rather than only marking at most one box per meal. This version of the variable uses the count of boxes checked as the number of vegetables eaten other than those listed elsewhere.	Numeric .N="Not Applicable"
admin1_pancakes_coun t1-7	Number of Times Pancakes, Waffles, or French Toast were Eaten on Day [X] of Administration 1	The number of times pancakes, waffles, or French toast were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which pancakes, waffles, or French toast were eaten. This version of the variable uses the count of boxes checked as the number of times pancakes, waffles, or French toast were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_pasta_count1-7	Number of Times Pasta was Eaten on Day [X] of Administration 1	The number of times pasta, spaghetti, or noodles were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which pasta, spaghetti, or noodles were eaten.	
		This version of the variable uses the count of boxes checked as the number of times pasta, spaghetti, or noodles were eaten.	
admin1_pizza_count1-7	Number of Times Pizza was Eaten on Day [X] of Administration 1	The number of times pizza was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which pizza was eaten.	
		This version of the variable uses the count of boxes checked as the number of times pizza was eaten.	
admin1_popcorn_count 1-7	Number of Times Popcorn, Crackers, Chips, or Pretzels were Eaten on Day [X] of Administration 1	The number of times popcorn, crackers, chips, or pretzels were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which popcorn, crackers, chips, or pretzels were eaten.	
		This version of the variable uses the count of boxes checked as the number of times popcorn, crackers, chips, or pretzels were eaten.	
admin1_potatoes_count 1-7	Number of Times Potatoes were Eaten on Day [X] of Administration 1	The number of times potatoes were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which potatoes were eaten.	
		This version of the variable uses the count of boxes checked as the number of times potatoes were eaten.	

	Variable	Label	Description	Format Text
admin1_ 7	_poultry_count1-	Number of Times Poultry was Eaten on Day [X] of Administration 1	The number of times chicken, turkey, or duck were eaten on each day for administration 1. This information comes from part of section B. One box is checked for each different meal or snack at which chicken, turkey, or duck were eaten. This version of the variable uses the count of boxes checked as the number of times chicken, turkey, or duck were eaten.	Numeric .N="Not Applicable"
admin1_	_rice_count1-7	Number of Times Rice was Eaten on Day [X] of Administration 1	The number of times rice was eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which rice was eaten. This version of the variable uses the count of boxes checked as the number of times rice was eaten.	Numeric .N="Not Applicable"
admin1_	rolls_count1-7	Number of Times Rolls were Eaten on Day [X] of Administration 1	The number of times rolls, English muffins, or bagels were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which rolls, English muffins, or bagels were eaten. This version of the variable uses the count of boxes checked as the number of times rolls, English muffins, or bagels were eaten.	Numeric .N="Not Applicable"
admin1_ unt1-7	_salad_green_co	Number of Times Salad Greens were Eaten on Day [X] of Administration 1	The number of times salad greens were eaten on each day for administration 1. This information comes from part of section D. One box is checked for each different meal or snack at which salad greens were eaten. This version of the variable uses the count of boxes checked as the number of times salad greens were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_soup_count1-7	Number of Times Soup was Eaten on Day [X] of Administration 1	The number of times soup was eaten on each day for administration 1. This information comes from part of section A. One box is checked for each different meal or snack at which soup was eaten. This version of the variable uses the count of boxes checked as the number of times soup was eaten.	Numeric .N="Not Applicable"
admin1_tomato_sauce_ count1-7	Number of Times Tomato Sauce was Eaten on Day [X] of Administration 1	The number of times tomato sauce was eaten on each day for administration 1. This information comes from part of section D. One box is checked for each different meal or snack at which tomato sauce was eaten. This version of the variable uses the count of boxes checked as the number of times tomato sauce was eaten.	Numeric .N="Not Applicable"
admin1_tortillas_count1 -7	Number of Times Tortillas were Eaten on Day [X] of Administration 1	The number of times tortillas were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which tortillas were eaten. This version of the variable uses the count of boxes checked as the number of times tortillas were eaten.	Numeric .N="Not Applicable"
admin1_yogurt_count1- 7	Number of Times Yogurt was Eaten on Day [X] of Administration 1	The number of times yogurt was eaten on each day for administration 1. This information comes from part of section C. One box is checked for each different meal or snack at which yogurt was eaten. This version of the variable uses the count of boxes checked as the number of times yogurt was eaten.	Numeric .N="Not Applicable"

Section 5: Administration 2 Food Counts

Variable	Label	Description	Format Text
admin2_all_bread_grain _count1-7	Number of Times Breads or Grains were Eaten on Day [X] of Administration 2	The number of times bread and grain products were eaten on each day for administration 2. This is the sum of the values from the variables admin2_cereal_count, admin2_oth_bread_count, admin2_oth_bread_count, admin2_tortillas_count, admin2_doughnuts_count, and admin2_pancakes_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times bread and grain products were eaten.	Numeric .N="Not Applicable"
admin2_all_dessert_cou nt1-7	Number of Times Cookies or Ice Cream were Eaten on Day [X] of Administration 2	The number of times dessert foods were eaten on each day for administration 2. This is the sum of the values from the variables admin2_cookies_count and admin2_ice_cream_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times dessert foods were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_all_fruit_count1 -7	Number of Times Fruit was Eaten on Day [X] of Administration 2	The number of times fruits were eaten on each day for administration 2. This is the sum of the values from the variables admin2_fruit_salad_count and admin2_oth_fruit_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses	Numeric .N="Not Applicable"
		the count of boxes checked as the number of times fruits were eaten.	
admin2_all_meat_count 1-7	Number of Times Meat, Poultry, or Fish were Eaten on Day [X] of Administration 2	The number of times meat was eaten on each day for administration 2. This is the sum of the values from the variables admin2_beef_pork_count, admin2_poultry_count, and admin2_fish_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times meat was eaten.	Numeric .N="Not Applicable"
admin2_all_starch_coun t1-7	Number of Times Potatoes, Rice, or Pasta were Eaten on Day [X] of Administration 2	The number of times potatoes, rice, or pasta were eaten on each day for administration 2. This is the sum of the values from the variables admin2_potatoes_count, admin2_pasta_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times potatoes, rice, or pasta were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_all_vegetable_c ount1-7	Number of Times Vegetables were Eaten on Day [X] of Administration 2	The number of times vegetables were eaten on each day for administration 2. This is the sum of the values from the variables admin2_salad greens_count, admin2_lettuce_count, and admin2_oth_veg_count for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the count of boxes checked as the number of times vegetables were eaten.	Numeric .N="Not Applicable"
admin2_beans_count1-7	Number of Times Beans were Eaten on Day [X] of Administration 2	The number of times cooked, dried beans were eaten on each day for administration 2. This information comes from part of section D. One box is checked for each different meal or snack at which cooked, dried beans were eaten. This version of the variable uses the count of boxes checked as the number of times cooked, dried beans were eaten.	Numeric .N="Not Applicable"
admin2_beef_pork_cou nt1-7	Number of Times Beef or Pork was Eaten on Day [X] of Administration 2	The number of times beef, pork, ham, bacon, or sausage were eaten on each day for administration 2. This information comes from part of section B. One box is checked for each different meal or snack at which beef, pork, ham, bacon, or sausage were eaten. This version of the variable uses the count of boxes checked as the number of times beef, pork, ham, bacon, or sausage were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_butter_count1-7	Number of Times Butter or Margarine were Eaten on Day [X] of Administration 2	The number of times butter or margarine were eaten on each day for administration 2. This information comes from part of section G. One box is checked for each different meal or snack at which butter or margarine were eaten. This version of the variable uses the count of boxes checked as the number of times butter or margarine were eaten.	Numeric .N="Not Applicable"
admin2_candy_count1-7	Number of Times Candy was Eaten on Day [X] of Administration 2	The number of times candy was eaten on each day for administration 2. This information comes from part of section E. One box is checked for each different meal or snack at which candy was eaten. This version of the variable uses the count of boxes checked as the number of times candy was eaten.	Numeric .N="Not Applicable"
admin2_cereal_count1-7	Number of Times Cereal was Eaten on Day [X] of Administration 2	The number of times cereal was eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which cereal was eaten. This version of the variable uses the count of boxes checked as the number of times cereal was eaten.	Numeric .N="Not Applicable"
admin2_cheese_count1- 7	Number of Times Cheese was Eaten on Day [X] of Administration 2	The number of times cheese was eaten on each day for administration 2. This information comes from part of section C. One box is checked for each different meal or snack at which cheese was eaten. This version of the variable uses the count of boxes checked as the number of times cheese was eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_chili_count1-7	Number of Times Chili was Eaten on Day [X] of Administration 2	The number of times chili was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which chili was eaten.	
		This version of the variable uses the count of boxes checked as the number of times chili was eaten.	
admin2_cookies_count1 -7	Number of Times Cookies, Pie, Cake, or Brownies were Eaten on Day [X] of Administration 2	The number of times cookies, pie, cake, or brownies were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which cookies, pie, cake, or brownies were eaten.	
		This version of the variable uses the count of boxes checked as the number of times cookies, pie, cake, or brownies were eaten.	
admin2_doughnuts_cou nt1-7	Number of Times Doughnuts, Danishes, etc. were Eaten on Day [X] of Administration 2	The number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten.	
		This version of the variable uses the count of boxes checked as the number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten.	
admin2_eggs_count1-7	Number of Times Eggs were Eaten on Day [X] of Administration 2	The number of times eggs were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section C. One box is checked for each different meal or snack at which eggs were eaten.	
		This version of the variable uses the count of boxes checked as the number of times eggs were eaten.	

IDATA - 7 Day Food Checklist Person: Data Dictionary 03/21/2016 Dataset: sevendayfood

Variable	Label	Description	Format Text
admin2_fish_count1-7	Number of Times Fish was Eaten on Day [X] of Administration 2	The number of times fish or seafood were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section B. One box is checked for each different meal or snack at which fish or seafood were eaten.	
		This version of the variable uses the count of boxes checked as the number of times fish or seafood were eaten.	
admin2_fruit_salad_cou nt1-7	Number of Times Fruit Salad was Eaten on Day [X] of Administration 2	The number of times fruit salad or fruit cocktails were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which fruit salad or fruit cocktails were eaten.	
		This version of the variable uses the count of boxes checked as the number of times fruit salad or fruit cocktails were eaten.	
admin2_ice_cream_cou nt1-7	Number of Times Ice Cream was Eaten on Day [X] of Administration 2	The number of times ice cream, sorbet, or frozen yogurt were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which ice cream, sorbet, or frozen yogurt were eaten.	
		This version of the variable uses the count of boxes checked as the number of times ice cream, sorbet, or frozen yogurt were eaten.	
admin2_lettuce_count1- 7	Number of Times Lettuce was Eaten on Day [X] of Administration 2	The number of times lettuce other than in salad greens was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which lettuce other than in salad greens was eaten.	
		This version of the variable uses the count of boxes checked as the number of times lettuce other than in salad greens was eaten.	

Variable	Label	Description	Format Text
admin2_mayonnaise_co unt1-7	Number of Times Mayonnaise or Salad Dressing were Eaten on Day [X] of Administration 2	The number of times mayonnaise or salad dressing were eaten on each day for administration 2. This information comes from part of section G. One box is checked for each different meal or snack at which mayonnaise or salad dressing were eaten. This version of the variable uses the count of boxes checked as the number of times mayonnaise or salad dressing were eaten.	Numeric .N="Not Applicable"
admin2_mexican_count 1-7	Number of Times Mexican Food was Eaten on Day [X] of Administration 2	The number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten on each day for administration 2. This information comes from part of section A. One box is checked for each different meal or snack at which Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten. This version of the variable uses the count of boxes checked as the number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten.	Numeric .N="Not Applicable"
admin2_oth_bread_cou nt1-7	Number of Times Other Bread Items were Eaten on Day [X] of Administration 2	The number of times bread items other than those listed elsewhere were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which bread items other than those listed elsewhere were eaten. This version of the variable uses the count of boxes checked as the number of times bread items other than those listed elsewhere were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_oth_fruit_count 1-7	Number of Other Fruits Eaten on Day [X] of Administration 2	The number of fruits eaten on each day for administration 2 other than as part of fruit salads or fruit cocktails. This information comes from part of section D. One box is checked for each different fruit eaten other than as part of fruit salads or fruit cocktails at each meal or snack. This differs from most other questions on the form in that multiple boxes for other fruit can be marked for the same meal, rather than only marking at most one box per meal. This version of the variable uses the count of boxes checked as the number of fruits eaten other than as part of fruit salads or fruit cocktails.	Numeric .N="Not Applicable"
admin2_oth_veg_count1 -7	Number of Other Vegetables Eaten on Day [X] of Administration 2	The number of vegetables eaten on each day for administration 2 other than those listed elsewhere. This information comes from part of section D. One box is checked for each different vegetable eaten other than those listed elsewhere at each meal or snack. This differs from most other questions on the form in that multiple boxes for other vegetables can be marked for the same meal, rather than only marking at most one box per meal. This version of the variable uses the count of boxes checked as the number of vegetables eaten other than those listed elsewhere.	Numeric .N="Not Applicable"
admin2_pancakes_coun t1-7	Number of Times Pancakes, Waffles, or French Toast were Eaten on Day [X] of Administration 2	The number of times pancakes, waffles, or French toast were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which pancakes, waffles, or French toast were eaten. This version of the variable uses the count of boxes checked as the number of times pancakes, waffles, or French toast were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_pasta_count1-7	Number of Times Pasta was Eaten on Day [X] of Administration 2	The number of times pasta, spaghetti, or noodles were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which pasta, spaghetti, or noodles were eaten.	
		This version of the variable uses the count of boxes checked as the number of times pasta, spaghetti, or noodles were eaten.	
admin2_pizza_count1-7	Number of Times Pizza was Eaten on Day [X] of Administration 2	The number of times pizza was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which pizza was eaten.	
		This version of the variable uses the count of boxes checked as the number of times pizza was eaten.	
admin2_popcorn_count 1-7	Number of Times Popcorn, Crackers, Chips, or Pretzels were Eaten on Day [X] of Administration 2	The number of times popcorn, crackers, chips, or pretzels were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which popcorn, crackers, chips, or pretzels were eaten.	
		This version of the variable uses the count of boxes checked as the number of times popcorn, crackers, chips, or pretzels were eaten.	
admin2_potatoes_count 1-7	Number of Times Potatoes were Eaten on Day [X] of Administration 2	The number of times potatoes were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which potatoes were eaten.	
		This version of the variable uses the count of boxes checked as the number of times potatoes were eaten.	

Variable	Label	Description	Format Text
admin2_poultry_count1- 7	Number of Times Poultry was Eaten on Day [X] of Administration 2	The number of times chicken, turkey, or duck were eaten on each day for administration 2. This information comes from part of section B. One box is checked for each different meal or snack at which chicken, turkey, or duck were eaten. This version of the variable uses the count of boxes checked as the number of times chicken, turkey, or duck were eaten.	Numeric .N="Not Applicable"
admin2_rice_count1-7	Number of Times Rice was Eaten on Day [X] of Administration 2	The number of times rice was eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which rice was eaten. This version of the variable uses the count of boxes checked as the number of times rice was eaten.	Numeric .N="Not Applicable"
admin2_rolls_count1-7	Number of Times Rolls were Eaten on Day [X] of Administration 2	The number of times rolls, English muffins, or bagels were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which rolls, English muffins, or bagels were eaten. This version of the variable uses the count of boxes checked as the number of times rolls, English muffins, or bagels were eaten.	Numeric .N="Not Applicable"
admin2_salad_green_co unt1-7	Number of Times Salad Greens were Eaten on Day [X] of Administration 2	The number of times salad greens were eaten on each day for administration 2. This information comes from part of section D. One box is checked for each different meal or snack at which salad greens were eaten. This version of the variable uses the count of boxes checked as the number of times salad greens were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_soup_count1-7	Number of Times Soup was Eaten on Day [X] of Administration 2	The number of times soup was eaten on each day for administration 2. This information comes from part of section A. One box is checked for each different meal or snack at which soup was eaten. This version of the variable uses the count of boxes checked as the number of times soup was eaten.	Numeric .N="Not Applicable"
admin2_tomato_sauce_ count1-7	Number of Times Tomato Sauce was Eaten on Day [X] of Administration 2	The number of times tomato sauce was eaten on each day for administration 2. This information comes from part of section D. One box is checked for each different meal or snack at which tomato sauce was eaten. This version of the variable uses the count of boxes checked as the number of times tomato sauce was eaten.	Numeric .N="Not Applicable"
admin2_tortillas_count1 -7	Number of Times Tortillas were Eaten on Day [X] of Administration 2	The number of times tortillas were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which tortillas were eaten. This version of the variable uses the count of boxes checked as the number of times tortillas were eaten.	Numeric .N="Not Applicable"
admin2_yogurt_count1- 7	Number of Times Yogurt was Eaten on Day [X] of Administration 2	The number of times yogurt was eaten on each day for administration 2. This information comes from part of section C. One box is checked for each different meal or snack at which yogurt was eaten. This version of the variable uses the count of boxes checked as the number of times yogurt was eaten.	Numeric .N="Not Applicable"

Section 6: Administration 1 Food Maximums

Variable	Label	Description	Format Text
admin1_all_bread_grain _max1-7	Number of Times Breads or Grains were Eaten on Day [X] of Administration 1	The number of times bread and grain products were eaten on each day for administration 1. This is the sum of the values from the variables admin1_cereal_max, admin1_rolls_max, admin1_oth_bread_max, admin1_tortillas_max, admin1_doughnuts_max, and admin1_pancakes_max for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the highest box checked as the number of times bread and grain products were eaten.	Numeric .N="Not Applicable"
admin1_all_dessert_ma x1-7	Number of Times Cookies or Ice Cream were Eaten on Day [X] of Administration 1	The number of times dessert foods were eaten on each day for administration 1. This is the sum of the values from the variables admin1_cookies_max and admin1_ice_cream_max for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the highest box checked as the number of times dessert foods were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_all_fruit_max1-7	Number of Times Fruit was Eaten on Day [X] of Administration 1	The number of times fruits were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This is the sum of the values from the variables admin1_fruit_salad_max and admin1_oth_fruit_max for the corresponding day. The foods included in this variable are all of the foods included in those variables.	
		This version of the variable uses the highest box checked as the number of times fruits were eaten.	
admin1_all_meat_max1- 7	Number of Times Meat, Poultry, or Fish were Eaten on Day [X] of Administration 1	The number of times meat was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This is the sum of the values from the variables admin1_beef_pork_max, admin1_poultry_max, and admin1_fish_max for the corresponding day. The foods included in this variable are all of the foods included in those variables.	
		This version of the variable uses the highest box checked as the number of times meat was eaten.	
admin1_all_starch_max 1-7	Number of Times Potatoes, Rice, or Pasta were Eaten on Day [X] of Administration 1	The number of times potatoes, rice, or pasta were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This is the sum of the values from the variables admin1_potatoes_max, admin1_rice_max, and admin1_pasta_max for the corresponding day. The foods included in this variable are all of the foods included in those variables.	
		This version of the variable uses the highest box checked as the number of times potatoes, rice, or pasta were eaten.	

Variable	Label	Description	Format Text
admin1_all_vegetable_ max1-7	Number of Times Vegetables were Eaten on Day [X] of Administration 1	The number of times vegetables were eaten on each day for administration 1. This is the sum of the values from the variables admin1_salad greens_max, admin1_lettuce_max, and admin1_oth_veg_max for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the highest box checked as the number of times vegetables were eaten.	Numeric .N="Not Applicable"
admin1_beans_max1-7	Number of Times Beans were Eaten on Day [X] of Administration 1	The number of times cooked, dried beans were eaten on each day for administration 1. This information comes from part of section D. One box is checked for each different meal or snack at which cooked, dried beans were eaten. This version of the variable uses the highest box checked as the number of times cooked, dried beans were eaten.	Numeric .N="Not Applicable"
admin1_beef_pork_max 1-7	Number of Times Beef or Pork was Eaten on Day [X] of Administration 1	The number of times beef, pork, ham, bacon, or sausage were eaten on each day for administration 1. This information comes from part of section B. One box is checked for each different meal or snack at which beef, pork, ham, bacon, or sausage were eaten. This version of the variable uses the highest box checked as the number of times beef, pork, ham, bacon, or sausage were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_butter_max1-7	Number of Times Butter or Margarine were Eaten on Day [X] of Administration 1	The number of times butter or margarine were eaten on each day for administration 1. This information comes from part of section G. One box is checked for each different meal or snack at which butter or margarine were eaten. This version of the variable uses the highest box checked as the number of times butter or margarine were eaten.	Numeric .N="Not Applicable"
admin1_candy_max1-7	Number of Times Candy was Eaten on Day [X] of Administration 1	The number of times candy was eaten on each day for administration 1. This information comes from part of section E. One box is checked for each different meal or snack at which candy was eaten. This version of the variable uses the highest box checked as the number of times candy was eaten.	Numeric .N="Not Applicable"
admin1_cereal_max1-7	Number of Times Cereal was Eaten on Day [X] of Administration 1	The number of times cereal was eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which cereal was eaten. This version of the variable uses the highest box checked as the number of times cereal was eaten.	Numeric .N="Not Applicable"
admin1_cheese_max1-7	Number of Times Cheese was Eaten on Day [X] of Administration 1	The number of times cheese was eaten on each day for administration 1. This information comes from part of section C. One box is checked for each different meal or snack at which cheese was eaten. This version of the variable uses the highest box checked as the number of times cheese was eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_chili_max1-7	Number of Times Chili was Eaten on Day [X] of Administration 1	The number of times chili was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which chili was eaten.	
		This version of the variable uses the highest box checked as the number of times chili was eaten.	
admin1_cookies_max1- 7	Number of Times Cookies, Pie, Cake, or Brownies were Eaten on Day [X] of Administration 1	The number of times cookies, pie, cake, or brownies were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which cookies, pie, cake, or brownies were eaten.	
		This version of the variable uses the highest box checked as the number of times cookies, pie, cake, or brownies were eaten.	
admin1_doughnuts_ma x1-7	Number of Times Doughnuts, Danishes, etc. were Eaten on Day [X] of Administration 1	The number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten.	
		This version of the variable uses the highest box checked as the number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten.	
admin1_eggs_max1-7	Number of Times Eggs were Eaten on Day [X] of Administration 1	The number of times eggs were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section C. One box is checked for each different meal or snack at which eggs were eaten.	
		This version of the variable uses the highest box checked as the number of times eggs were eaten.	

Variable	Label	Description	Format Text
admin1_fish_max1-7	Number of Times Fish was Eaten on Day [X] of Administration 1	The number of times fish or seafood were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section B. One box is checked for each different meal or snack at which fish or seafood were eaten.	
		This version of the variable uses the highest box checked as the number of times fish or seafood were eaten.	
admin1_fruit_salad_max 1-7	Number of Times Fruit Salad was Eaten on Day [X] of Administration 1	The number of times fruit salad or fruit cocktails were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which fruit salad or fruit cocktails were eaten.	
		This version of the variable uses the highest box checked as the number of times fruit salad or fruit cocktails were eaten.	
admin1_ice_cream_max 1-7	Number of Times Ice Cream was Eaten on Day [X] of Administration 1	The number of times ice cream, sorbet, or frozen yogurt were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which ice cream, sorbet, or frozen yogurt were eaten.	
		This version of the variable uses the highest box checked as the number of times ice cream, sorbet, or frozen yogurt were eaten.	
admin1_lettuce_max1-7	Number of Times Lettuce was Eaten on Day [X] of Administration 1	The number of times lettuce other than in salad greens was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which lettuce other than in salad greens was eaten.	
		This version of the variable uses the highest box checked as the number of times lettuce other than in salad greens was eaten.	

Variable	Label	Description	Format Text
admin1_mayonnaise_m ax1-7	Number of Times Mayonnaise or Salad Dressing were Eaten on Day [X] of Administration 1	The number of times mayonnaise or salad dressing were eaten on each day for administration 1. This information comes from part of section G. One box is checked for each different meal or snack at which mayonnaise or salad dressing were eaten. This version of the variable uses the highest box checked as the number of times mayonnaise or salad dressing were eaten.	Numeric .N="Not Applicable"
admin1_mexican_max1- 7	Number of Times Mexican Food was Eaten on Day [X] of Administration 1	The number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten on each day for administration 1. This information comes from part of section A. One box is checked for each different meal or snack at which Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten. This version of the variable uses the highest box checked as the number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten.	Numeric .N="Not Applicable"
admin1_oth_bread_max 1-7	Number of Times Other Bread Items were Eaten on Day [X] of Administration 1	The number of times bread items other than those listed elsewhere were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which bread items other than those listed elsewhere were eaten. This version of the variable uses the highest box checked as the number of times bread items other than those listed elsewhere were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_oth_fruit_max1- 7	Number of Other Fruits Eaten on Day [X] of Administration 1	The number of fruits eaten on each day for administration 1 other than as part of fruit salads or fruit cocktails. This information comes from part of section D. One box is checked for each different fruit eaten other than as part of fruit salads or fruit cocktails at each meal or snack. This differs from most other questions on the form in that multiple boxes for other fruit can be marked for the same meal, rather than only marking at most one box per meal. This version of the variable uses the highest box checked as the number of fruits eaten other than as part of fruit salads or fruit cocktails.	Numeric .N="Not Applicable"
admin1_oth_veg_max1- 7	Number of Other Vegetables Eaten on Day [X] of Administration 1	The number of vegetables eaten on each day for administration 1 other than those listed elsewhere. This information comes from part of section D. One box is checked for each different vegetable eaten other than those listed elsewhere at each meal or snack. This differs from most other questions on the form in that multiple boxes for other vegetables can be marked for the same meal, rather than only marking at most one box per meal. This version of the variable uses the highest box checked as the number of vegetables eaten other than those listed elsewhere.	Numeric .N="Not Applicable"
admin1_pancakes_max1 -7	Number of Times Pancakes, Waffles, or French Toast were Eaten on Day [X] of Administration 1	The number of times pancakes, waffles, or French toast were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which pancakes, waffles, or French toast were eaten. This version of the variable uses the highest box checked as the number of times pancakes, waffles, or French toast were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_pasta_max1-7	Number of Times Pasta was Eaten on Day [X] of Administration 1	The number of times pasta, spaghetti, or noodles were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which pasta, spaghetti, or noodles were eaten.	
		This version of the variable uses the highest box checked as the number of times pasta, spaghetti, or noodles were eaten.	
admin1_pizza_max1-7	Number of Times Pizza was Eaten on Day [X] of Administration 1	The number of times pizza was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which pizza was eaten.	
		This version of the variable uses the highest box checked as the number of times pizza was eaten.	
admin1_popcorn_max1- 7	Number of Times Popcorn, Crackers, Chips, or Pretzels were Eaten on Day [X] of Administration 1	The number of times popcorn, crackers, chips, or pretzels were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which popcorn, crackers, chips, or pretzels were eaten.	
		This version of the variable uses the highest box checked as the number of times popcorn, crackers, chips, or pretzels were eaten.	
admin1_potatoes_max1- 7	Number of Times Potatoes were Eaten on Day [X] of Administration 1	The number of times potatoes were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which potatoes were eaten.	
		This version of the variable uses the highest box checked as the number of times potatoes were eaten.	

Variable	Label	Description	Format Text
admin1_poultry_max1-7	Number of Times Poultry was Eaten on Day [X] of Administration 1	The number of times chicken, turkey, or duck were eaten on each day for administration 1. This information comes from part of section B. One box is checked for each different meal or snack at which chicken, turkey, or duck were eaten. This version of the variable uses the highest box checked as the number of times chicken, turkey, or duck were eaten.	Numeric .N="Not Applicable"
admin1_rice_max1-7	Number of Times Rice was Eaten on Day [X] of Administration 1	The number of times rice was eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which rice was eaten. This version of the variable uses the highest box checked as the number of times rice was eaten.	Numeric .N="Not Applicable"
admin1_rolls_max1-7	Number of Times Rolls were Eaten on Day [X] of Administration 1	The number of times rolls, English muffins, or bagels were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which rolls, English muffins, or bagels were eaten. This version of the variable uses the highest box checked as the number of times rolls, English muffins, or bagels were eaten.	Numeric .N="Not Applicable"
admin1_salad_green_m ax1-7	Number of Times Salad Greens were Eaten on Day [X] of Administration 1	The number of times salad greens were eaten on each day for administration 1. This information comes from part of section D. One box is checked for each different meal or snack at which salad greens were eaten. This version of the variable uses the highest box checked as the number of times salad greens were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_soup_max1-7	Number of Times Soup was Eaten on Day [X] of Administration 1	The number of times soup was eaten on each day for administration 1. This information comes from part of section A. One box is checked for each different meal or snack at which soup was eaten. This version of the variable uses the highest box checked as the number of times soup was eaten.	Numeric .N="Not Applicable"
admin1_tomato_sauce_ max1-7	Number of Times Tomato Sauce was Eaten on Day [X] of Administration 1	The number of times tomato sauce was eaten on each day for administration 1. This information comes from part of section D. One box is checked for each different meal or snack at which tomato sauce was eaten. This version of the variable uses the highest box checked as the number of times tomato sauce was eaten.	Numeric .N="Not Applicable"
admin1_tortillas_max1-7	Number of Times Tortillas were Eaten on Day [X] of Administration 1	The number of times tortillas were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which tortillas were eaten. This version of the variable uses the highest box checked as the number of times tortillas were eaten.	Numeric .N="Not Applicable"
admin1_yogurt_max1-7	Number of Times Yogurt was Eaten on Day [X] of Administration 1	The number of times yogurt was eaten on each day for administration 1. This information comes from part of section C. One box is checked for each different meal or snack at which yogurt was eaten. This version of the variable uses the highest box checked as the number of times yogurt was eaten.	Numeric .N="Not Applicable"

Section 7: Administration 2 Food Maximums

Variable	Label	Description	Format Text
admin2_all_bread_grain _max1-7	Number of Times Breads or Grains were Eaten on Day [X] of Administration 2	The number of times bread and grain products were eaten on each day for administration 2. This is the sum of the values from the variables admin2_cereal_max, admin2_rolls_max, admin2_oth_bread_max, admin2_tortillas_max, admin2_doughnuts_max, and admin2_pancakes_max for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the highest box checked as the number of times bread and grain products were eaten.	Numeric .N="Not Applicable"
admin2_all_dessert_ma x1-7	Number of Times Cookies or Ice Cream were Eaten on Day [X] of Administration 2	The number of times dessert foods were eaten on each day for administration 2. This is the sum of the values from the variables admin2_cookies_max and admin2_ice_cream_max for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the highest box checked as the number of times dessert foods were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_all_fruit_max1-7	Number of Times Fruit was Eaten on Day [X] of Administration 2	The number of times fruits were eaten on each day for administration 2. This is the sum of the values from the variables admin2_fruit_salad_max and admin2_oth_fruit_max for the corresponding day. The foods included in this variable are all of the foods included in those variables.	Numeric .N="Not Applicable"
		This version of the variable uses the highest box checked as the number of times fruits were eaten.	
admin2_all_meat_max1- 7	Number of Times Meat, Poultry, or Fish were Eaten on Day [X] of Administration 2	The number of times meat was eaten on each day for administration 2. This is the sum of the values from the variables admin2_beef_pork_max, admin2_poultry_max, and admin2_fish_max for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the highest box checked as the number of times meat was eaten.	Numeric .N="Not Applicable"
admin2_all_starch_max 1-7	Number of Times Potatoes, Rice, or Pasta were Eaten on Day [X] of Administration 2	The number of times potatoes, rice, or pasta were eaten on each day for administration 2. This is the sum of the values from the variables admin2_potatoes_max, admin2_rice_max, and admin2_pasta_max for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the highest box checked as the number of times potatoes, rice, or pasta were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_all_vegetable_ max1-7	Number of Times Vegetables were Eaten on Day [X] of Administration 2	The number of times vegetables were eaten on each day for administration 2. This is the sum of the values from the variables admin2_salad greens_max, admin2_lettuce_max, and admin2_oth_veg_max for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the highest box checked as the number of times vegetables were eaten.	Numeric .N="Not Applicable"
admin2_beans_max1-7	Number of Times Beans were Eaten on Day [X] of Administration 2	The number of times cooked, dried beans were eaten on each day for administration 2. This information comes from part of section D. One box is checked for each different meal or snack at which cooked, dried beans were eaten. This version of the variable uses the highest box checked as the number of times cooked, dried beans were eaten.	Numeric .N="Not Applicable"
admin2_beef_pork_max 1-7	Number of Times Beef or Pork was Eaten on Day [X] of Administration 2	The number of times beef, pork, ham, bacon, or sausage were eaten on each day for administration 2. This information comes from part of section B. One box is checked for each different meal or snack at which beef, pork, ham, bacon, or sausage were eaten. This version of the variable uses the highest box checked as the number of times beef, pork, ham, bacon, or sausage were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_butter_max1-7	Number of Times Butter or Margarine were Eaten on Day [X] of Administration 2	The number of times butter or margarine were eaten on each day for administration 2. This information comes from part of section G. One box is checked for each different meal or snack at which butter or margarine were eaten. This version of the variable uses the highest box checked as the number of times butter or margarine were eaten.	Numeric .N="Not Applicable"
admin2_candy_max1-7	Number of Times Candy was Eaten on Day [X] of Administration 2	The number of times candy was eaten on each day for administration 2. This information comes from part of section E. One box is checked for each different meal or snack at which candy was eaten. This version of the variable uses the highest box checked as the number of times candy was eaten.	Numeric .N="Not Applicable"
admin2_cereal_max1-7	Number of Times Cereal was Eaten on Day [X] of Administration 2	The number of times cereal was eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which cereal was eaten. This version of the variable uses the highest box checked as the number of times cereal was eaten.	Numeric .N="Not Applicable"
admin2_cheese_max1-7	Number of Times Cheese was Eaten on Day [X] of Administration 2	The number of times cheese was eaten on each day for administration 2. This information comes from part of section C. One box is checked for each different meal or snack at which cheese was eaten. This version of the variable uses the highest box checked as the number of times cheese was eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_chili_max1-7	Number of Times Chili was Eaten on Day [X] of Administration 2	The number of times chili was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which chili was eaten.	
		This version of the variable uses the highest box checked as the number of times chili was eaten.	
admin2_cookies_max1- 7	Number of Times Cookies, Pie, Cake, or Brownies were Eaten on Day [X] of Administration 2	The number of times cookies, pie, cake, or brownies were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which cookies, pie, cake, or brownies were eaten.	
		This version of the variable uses the highest box checked as the number of times cookies, pie, cake, or brownies were eaten.	
admin2_doughnuts_ma x1-7	Number of Times Doughnuts, Danishes, etc. were Eaten on Day [X] of Administration 2	The number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten.	
		This version of the variable uses the highest box checked as the number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten.	
admin2_eggs_max1-7	Number of Times Eggs were Eaten on Day [X] of Administration 2	The number of times eggs were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section C. One box is checked for each different meal or snack at which eggs were eaten.	
		This version of the variable uses the highest box checked as the number of times eggs were eaten.	

Variable	Label	Description	Format Text
admin2_fish_max1-7	Number of Times Fish was Eaten on Day [X] of Administration 2	The number of times fish or seafood were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section B. One box is checked for each different meal or snack at which fish or seafood were eaten.	
		This version of the variable uses the highest box checked as the number of times fish or seafood were eaten.	
admin2_fruit_salad_max 1-7	Number of Times Fruit Salad was Eaten on Day [X] of Administration 2	The number of times fruit salad or fruit cocktails were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which fruit salad or fruit cocktails were eaten.	
		This version of the variable uses the highest box checked as the number of times fruit salad or fruit cocktails were eaten.	
admin2_ice_cream_max 1-7	Number of Times Ice Cream was Eaten on Day [X] of Administration 2	The number of times ice cream, sorbet, or frozen yogurt were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which ice cream, sorbet, or frozen yogurt were eaten.	
		This version of the variable uses the highest box checked as the number of times ice cream, sorbet, or frozen yogurt were eaten.	
admin2_lettuce_max1-7	Number of Times Lettuce was Eaten on Day [X] of Administration 2	The number of times lettuce other than in salad greens was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which lettuce other than in salad greens was eaten.	
		This version of the variable uses the highest box checked as the number of times lettuce other than in salad greens was eaten.	

Variable	Label	Description	Format Text
admin2_mayonnaise_m ax1-7	Number of Times Mayonnaise or Salad Dressing were Eaten on Day [X] of Administration 2	The number of times mayonnaise or salad dressing were eaten on each day for administration 2. This information comes from part of section G. One box is checked for each different meal or snack at which mayonnaise or salad dressing were eaten. This version of the variable uses the highest box checked as the number of times mayonnaise or salad dressing were eaten.	Numeric .N="Not Applicable"
admin2_mexican_max1- 7	Number of Times Mexican Food was Eaten on Day [X] of Administration 2	The number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten on each day for administration 2. This information comes from part of section A. One box is checked for each different meal or snack at which Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten. This version of the variable uses the highest box checked as the number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten.	Numeric .N="Not Applicable"
admin2_oth_bread_max 1-7	Number of Times Other Bread Items were Eaten on Day [X] of Administration 2	The number of times bread items other than those listed elsewhere were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which bread items other than those listed elsewhere were eaten. This version of the variable uses the highest box checked as the number of times bread items other than those listed elsewhere were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_oth_fruit_max1- 7	Number of Other Fruits Eaten on Day [X] of Administration 2	The number of fruits eaten on each day for administration 2 other than as part of fruit salads or fruit cocktails. This information comes from part of section D. One box is checked for each different fruit eaten other than as part of fruit salads or fruit cocktails at each meal or snack. This differs from most other questions on the form in that multiple boxes for other fruit can be marked for the same meal, rather than only marking at most one box per meal. This version of the variable uses the highest box checked as the number of fruits eaten other than as part of fruit salads or fruit cocktails.	Numeric .N="Not Applicable"
admin2_oth_veg_max1- 7	Number of Other Vegetables Eaten on Day [X] of Administration 2	The number of vegetables eaten on each day for administration 2 other than those listed elsewhere. This information comes from part of section D. One box is checked for each different vegetable eaten other than those listed elsewhere at each meal or snack. This differs from most other questions on the form in that multiple boxes for other vegetables can be marked for the same meal, rather than only marking at most one box per meal. This version of the variable uses the highest box checked as the number of vegetables eaten other than those listed elsewhere.	Numeric .N="Not Applicable"
admin2_pancakes_max1 -7	Number of Times Pancakes, Waffles, or French Toast were Eaten on Day [X] of Administration 2	The number of times pancakes, waffles, or French toast were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which pancakes, waffles, or French toast were eaten. This version of the variable uses the highest box checked as the number of times pancakes, waffles, or French toast were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_pasta_max1-7	Number of Times Pasta was Eaten on Day [X] of Administration 2	The number of times pasta, spaghetti, or noodles were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which pasta, spaghetti, or noodles were eaten.	
		This version of the variable uses the highest box checked as the number of times pasta, spaghetti, or noodles were eaten.	
admin2_pizza_max1-7	Number of Times Pizza was Eaten on Day [X] of Administration 2	The number of times pizza was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which pizza was eaten.	
		This version of the variable uses the highest box checked as the number of times pizza was eaten.	
admin2_popcorn_max1- 7	Number of Times Popcorn, Crackers, Chips, or Pretzels were Eaten on Day [X] of Administration 2	The number of times popcorn, crackers, chips, or pretzels were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which popcorn, crackers, chips, or pretzels were eaten.	
		This version of the variable uses the highest box checked as the number of times popcorn, crackers, chips, or pretzels were eaten.	
admin2_potatoes_max1- 7	Number of Times Potatoes were Eaten on Day [X] of Administration 2	The number of times potatoes were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which potatoes were eaten.	
		This version of the variable uses the highest box checked as the number of times potatoes were eaten.	

Variable	Label	Description	Format Text
admin2_poultry_max1-7	Number of Times Poultry was Eaten on Day [X] of Administration 2	The number of times chicken, turkey, or duck were eaten on each day for administration 2. This information comes from part of section B. One box is checked for each different meal or snack at which chicken, turkey, or duck were eaten. This version of the variable uses the highest box checked as the number of times chicken, turkey, or duck were eaten.	Numeric .N="Not Applicable"
admin2_rice_max1-7	Number of Times Rice was Eaten on Day [X] of Administration 2	The number of times rice was eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which rice was eaten. This version of the variable uses the highest box checked as the number of times rice was eaten.	Numeric .N="Not Applicable"
admin2_rolls_max1-7	Number of Times Rolls were Eaten on Day [X] of Administration 2	The number of times rolls, English muffins, or bagels were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which rolls, English muffins, or bagels were eaten. This version of the variable uses the highest box checked as the number of times rolls, English muffins, or bagels were eaten.	Numeric .N="Not Applicable"
admin2_salad_green_m ax1-7	Number of Times Salad Greens were Eaten on Day [X] of Administration 2	The number of times salad greens were eaten on each day for administration 2. This information comes from part of section D. One box is checked for each different meal or snack at which salad greens were eaten. This version of the variable uses the highest box checked as the number of times salad greens were eaten.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_soup_max1-7	Number of Times Soup was Eaten on Day [X] of Administration 2	The number of times soup was eaten on each day for administration 2. This information comes from part of section A. One box is checked for each different meal or snack at which soup was eaten. This version of the variable uses the highest box checked as the number of times soup was eaten.	Numeric .N="Not Applicable"
admin2_tomato_sauce_ max1-7	Number of Times Tomato Sauce was Eaten on Day [X] of Administration 2	The number of times tomato sauce was eaten on each day for administration 2. This information comes from part of section D. One box is checked for each different meal or snack at which tomato sauce was eaten. This version of the variable uses the highest box checked as the number of times tomato sauce was eaten.	Numeric .N="Not Applicable"
admin2_tortillas_max1-7	Number of Times Tortillas were Eaten on Day [X] of Administration 2	The number of times tortillas were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which tortillas were eaten. This version of the variable uses the highest box checked as the number of times tortillas were eaten.	Numeric .N="Not Applicable"
admin2_yogurt_max1-7	Number of Times Yogurt was Eaten on Day [X] of Administration 2	The number of times yogurt was eaten on each day for administration 2. This information comes from part of section C. One box is checked for each different meal or snack at which yogurt was eaten. This version of the variable uses the highest box checked as the number of times yogurt was eaten.	Numeric .N="Not Applicable"

Section 8: Administration 1 Food Hybrid Counts

Variable	Label	Description	Format Text
admin1_all_bread_grain _hybrid1-7	Number of Times Breads or Grains were Eaten on Day [X] of Administration 1	The number of times bread and grain products were eaten on each day for administration 1. This is the sum of the values from the variables admin1_cereal_hybrid, admin1_rolls_hybrid, admin1_tortillas_hybrid, admin1_doughnuts_hybrid, and admin1_pancakes_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the hybrid of the number of boxes checked as the total number of times bread and grain products were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times bread and grain products were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_all_dessert_hyb rid1-7	Number of Times Cookies or Ice Cream were Eaten on Day [X] of Administration 1	The number of times dessert foods were eaten on each day for administration 1. This is the sum of the values from the variables admin1_cookies_hybrid and admin1_ice_cream_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the hybrid of the number of boxes checked as the total number of times dessert foods were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times dessert foods were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

IDATA - 7 Day Food Checklist Person: Data Dictionary 03/21/2016 Dataset: sevendayfood

Variable	Label	Description	Format Text
admin1_all_fruit_hybrid 1-7	Number of Times Fruit was Eaten on Day [X] of Administration 1	The number of times fruits were eaten on each day for administration 1. This is the sum of the values from the variables admin1_fruit_salad_hybrid and	Numeric .N="Not Applicable"
		admin1_oth_fruit_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables.	
		This version of the variable uses the hybrid of the number of boxes checked as the total number of times fruits were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times fruits were eaten when there are gaps in the checked boxes.	
admin1_all_meat_hybrid 1-7	Number of Times Meat, Poultry, or Fish were Eaten on Day [X] of Administration 1	The number of times meat was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This is the sum of the values from the variables admin1_beef_pork_hybrid, admin1_poultry_hybrid, and admin1_fish_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables.	
		This version of the variable uses the hybrid of the number of boxes checked as the total number of times meat was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times meat was eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin1_all_starch_hybri d1-7	Number of Times Potatoes, Rice, or Pasta were Eaten on Day [X] of Administration 1	The number of times potatoes, rice, or pasta were eaten on each day for administration 1. This is the sum of the values from the variables admin1_potatoes_hybrid, admin1_rice_hybrid, and admin1_pasta_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the hybrid of the number of boxes checked as the total number of times potatoes, rice, or pasta were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times potatoes, rice, or pasta were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_all_vegetable_h ybrid1-7	Number of Times Vegetables were Eaten on Day [X] of Administration 1	The number of times vegetables were eaten on each day for administration 1. This is the sum of the values from the variables admin1_salad greens_hybrid, admin1_lettuce_hybrid, and admin1_oth_veg_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the hybrid of the number of boxes checked as the total number of times vegetables were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times vegetables were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_beans_hybrid1- 7	Number of Times Beans were Eaten on Day [X] of Administration 1	The number of times cooked, dried beans were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which cooked, dried beans were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times cooked, dried beans were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times cooked, dried beans were eaten when there are gaps in the checked boxes.	
admin1_beef_pork_hybr id1-7	Number of Times Beef or Pork was Eaten on Day [X] of Administration 1	The number of times beef, pork, ham, bacon, or sausage were eaten on each day for administration 1. This information comes from part of section B. One box is checked for each different meal or snack at which beef, pork, ham, bacon, or sausage were eaten. This version of the variable uses	Numeric .N="Not Applicable"
		the count of the number of boxes checked as the total number of times beef, pork, ham, bacon, or sausage were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times beef, pork, ham, bacon, or sausage were eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin1_butter_hybrid1- 7	Number of Times Butter or Margarine were Eaten on Day [X] of Administration 1	The number of times butter or margarine were eaten on each day for administration 1. This information comes from part of section G. One box is checked for each different meal or snack at which butter or margarine were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times butter or margarine were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times butter or margarine were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_candy_hybrid1- 7	Number of Times Candy was Eaten on Day [X] of Administration 1	The number of times candy was eaten on each day for administration 1. This information comes from part of section E. One box is checked for each different meal or snack at which candy was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times candy was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times candy was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_cereal_hybrid1- 7	Number of Times Cereal was Eaten on Day [X] of Administration 1	The number of times cereal was eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which cereal was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times cereal was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times cereal was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_cheese_hybrid1 -7	Number of Times Cheese was Eaten on Day [X] of Administration 1	The number of times cheese was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section C. One box is checked for each different meal or snack at which cheese was eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times cheese was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times cheese was eaten when there are gaps in the checked boxes.	
admin1_chili_hybrid1-7	Number of Times Chili was Eaten on Day [X] of Administration 1	The number of times chili was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which chili was eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times chili was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times chili was eaten when there are gaps in the checked boxes.	
admin1_cookies_hybrid 1-7	Number of Times Cookies, Pie, Cake, or Brownies were Eaten on Day [X] of Administration 1	The number of times cookies, pie, cake, or brownies were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which cookies, pie, cake, or brownies were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times cookies, pie, cake, or brownies were eaten when the boxes were checked in reverse	
		order, and uses the highest box checked as the number of times cookies, pie, cake, or brownies were eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin1_doughnuts_hyb rid1-7	Number of Times Doughnuts, Danishes, etc. were Eaten on Day [X] of Administration 1	The number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten when there are gaps in the checked boxes.	
admin1_eggs_hybrid1-7	Number of Times Eggs were Eaten on Day [X] of Administration 1	The number of times eggs were eaten on each day for administration 1. This information comes from part of section C. One box is checked for each different meal or snack at which eggs were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times eggs were eaten when the boxes were checked in reverse	Numeric .N="Not Applicable"
		order, and uses the highest box checked as the number of times eggs were eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin1_fish_hybrid1-7	Number of Times Fish was Eaten on Day [X] of Administration 1	The number of times fish or seafood were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section B. One box is checked for each different meal or snack at which fish or seafood were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times fish or seafood were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times fish or seafood were eaten when there are gaps in the checked boxes.	
admin1_fruit_salad_hyb rid1-7	Number of Times Fruit Salad was Eaten on Day [X] of Administration 1	The number of times fruit salad or fruit cocktails were eaten on each day for administration 1. This information comes from part of section D. One box is checked for each different meal or snack at which fruit salad or fruit cocktails were eaten.	Numeric .N="Not Applicable"
		This version of the variable uses the count of the number of boxes checked as the total number of times fruit salad or fruit cocktails were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times fruit salad or fruit cocktails were eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin1_ice_cream_hybr id1-7	Number of Times Ice Cream was Eaten on Day [X] of Administration 1	The number of times ice cream, sorbet, or frozen yogurt were eaten on each day for administration 1. This information comes from part of section E. One box is checked for each different meal or snack at which ice cream, sorbet, or frozen yogurt were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times ice cream, sorbet, or frozen yogurt were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times ice cream, sorbet, or frozen yogurt were	Numeric .N="Not Applicable"
admin1_lettuce_hybrid1 -7	Number of Times Lettuce was Eaten on Day [X] of Administration 1	eaten when there are gaps in the checked boxes. The number of times lettuce other than in salad greens was eaten on each day for administration 1. This information comes from part of section D. One box is checked for each different meal or snack at which lettuce other than in salad greens was eaten. This version of the variable uses the count of the number of boxes	Numeric .N="Not Applicable"
		checked as the total number of times lettuce other than in salad greens was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times lettuce other than in salad greens was eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin1_mayonnaise_hy brid1-7	Number of Times Mayonnaise or Salad Dressing were Eaten on Day [X] of Administration 1	The number of times mayonnaise or salad dressing were eaten on each day for administration 1. This information comes from part of section G. One box is checked for each different meal or snack at which mayonnaise or salad dressing were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times mayonnaise or salad dressing were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times mayonnaise or salad dressing were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_mexican_hybrid 1-7	Number of Times Mexican Food was Eaten on Day [X] of Administration 1	The number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten on each day for administration 1. This information comes from part of section A. One box is checked for each different meal or snack at which Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

IDATA - 7 Day Food Checklist Person: Data Dictionary 03/21/2016 Dataset: sevendayfood

Variable	e	Label	Description	Format Text
admin1_oth_bro id1-7	ead_hybr	Number of Times Other Bread Items were Eaten on Day [X] of Administration 1	The number of times bread items other than those listed elsewhere were eaten on each day for administration 1.	Numeric .N="Not Applicable"
			This information comes from part of section F. One box is checked for each different meal or snack at which bread items other than those listed elsewhere were eaten.	
			This version of the variable uses the count of the number of boxes checked as the total number of times bread items other than those listed elsewhere were eaten when the boxes were checked in reverse order or starting from the wrong row, and uses the highest box checked as the number of times bread items other than those listed elsewhere were eaten when there are gaps in the checked boxes.	
admin1_oth_fru 1-7	uit_hybrid	Number of Other Fruits Eaten on Day [X] of Administration 1	The number of fruits eaten on each day for administration 1 other than as part of fruit salads or fruit cocktails. This information comes from part of section D. One box is checked for each different fruit eaten other than as part of fruit salads or fruit cocktails at each meal or snack. This differs from most other questions on the form in that multiple boxes for other fruit can be marked for the same meal, rather than only marking at most	Numeric .N="Not Applicable"
			one box per meal. This version of the variable uses the count of the number of boxes checked as the total number of fruits eaten other than as part of fruit salads or fruit cocktails when the boxes were checked in reverse order, and uses the highest box checked as the number of fruits eaten other than as part of fruit salads or fruit cocktails when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin1_oth_veg_hybrid 1-7	Number of Other Vegetables Eaten on Day [X] of Administration 1	The number of vegetables eaten on each day for administration 1 other than those listed elsewhere. This information comes from part of section D. One box is checked for each different vegetable eaten other than those listed elsewhere at each meal or snack. This differs from most other questions on the form in that multiple boxes for other vegetables can be marked for the same meal, rather than only marking at most one box per meal. This version of the variable uses the count of the number of boxes checked as the total number of vegetables eaten other than those listed elsewhere when the boxes were checked in reverse order, and uses the highest box checked as the number of vegetables eaten other than those listed elsewhere when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_pancakes_hybri d1-7	Number of Times Pancakes, Waffles, or French Toast were Eaten on Day [X] of Administration 1	The number of times pancakes, waffles, or French toast were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which pancakes, waffles, or French toast were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times pancakes, waffles, or French toast were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times pancakes, waffles, or French toast were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_pasta_hybrid1-7	Number of Times Pasta was Eaten on Day [X] of Administration 1	The number of times pasta, spaghetti, or noodles were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which pasta, spaghetti, or noodles were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times pasta, spaghetti, or noodles were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times pasta, spaghetti, or noodles were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_pizza_hybrid1-7	Number of Times Pizza was Eaten on Day [X] of Administration 1	The number of times pizza was eaten on each day for administration 1. This information comes from part of section A. One box is checked for each different meal or snack at which pizza was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times pizza was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times pizza was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_popcorn_hybrid 1-7	Number of Times Popcorn, Crackers, Chips, or Pretzels were Eaten on Day [X] of Administration 1	The number of times popcorn, crackers, chips, or pretzels were eaten on each day for administration 1. This information comes from part of section E. One box is checked for each different meal or snack at which popcorn, crackers, chips, or pretzels were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times popcorn, crackers, chips, or pretzels were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times popcorn, crackers, chips, or pretzels were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_potatoes_hybri d1-7	Number of Times Potatoes were Eaten on Day [X] of Administration 1	The number of times potatoes were eaten on each day for administration 1. This information comes from part of section D. One box is checked for each different meal or snack at which potatoes were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times potatoes were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times potatoes were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_poultry_hybrid1 -7	Number of Times Poultry was Eaten on Day [X] of Administration 1	The number of times chicken, turkey, or duck were eaten on each day for administration 1. This information comes from part of section B. One box is checked for each different meal or snack at which chicken, turkey, or duck were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times chicken, turkey, or duck were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times chicken, turkey, or duck were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_rice_hybrid1-7	Number of Times Rice was Eaten on Day [X] of Administration 1	The number of times rice was eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which rice was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times rice was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times rice was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_rolls_hybrid1-7	Number of Times Rolls were Eaten on Day [X] of Administration 1	The number of times rolls, English muffins, or bagels were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which rolls, English muffins, or bagels were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times rolls, English muffins, or bagels were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times rolls, English muffins, or bagels were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin1_salad_green_hy brid1-7	Number of Times Salad Greens were Eaten on Day [X] of Administration 1	The number of times salad greens were eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which salad greens were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times salad greens were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times salad greens were eaten when there are gaps in the checked boxes.	
admin1_soup_hybrid1-7	Number of Times Soup was Eaten on Day [X] of Administration 1	The number of times soup was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which soup was eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times soup was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times soup was eaten when there are gaps in the checked boxes.	
admin1_tomato_sauce_ hybrid1-7	Number of Times Tomato Sauce was Eaten on Day [X] of Administration 1	The number of times tomato sauce was eaten on each day for administration 1.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which tomato sauce was eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times tomato sauce was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times tomato sauce was eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin1_tortillas_hybrid 1-7	Number of Times Tortillas were Eaten on Day [X] of Administration 1	The number of times tortillas were eaten on each day for administration 1. This information comes from part of section F. One box is checked for each different meal or snack at which tortillas were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times tortillas were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times tortillas were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin1_yogurt_hybrid1- 7	Number of Times Yogurt was Eaten on Day [X] of Administration 1	The number of times yogurt was eaten on each day for administration 1. This information comes from part of section C. One box is checked for each different meal or snack at which yogurt was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times yogurt was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times yogurt was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Section 9: Administration 2 Food Hybrid Counts

Variable	Label	Description	Format Text
admin2_all_bread_grain _hybrid1-7	Number of Times Breads or Grains were Eaten on Day [X] of Administration 2	The number of times bread and grain products were eaten on each day for administration 2. This is the sum of the values from the variables admin2_cereal_hybrid, admin2_oth_bread_hybrid, admin2_tortillas_hybrid, admin2_doughnuts_hybrid, and admin2_doughnuts_hybrid, and admin2_pancakes_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the hybrid of the number of boxes checked as the total number of times bread and grain products were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times bread and grain products were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin2_all_dessert_hyb rid1-7	Number of Times Cookies or Ice Cream were Eaten on Day [X] of Administration 2	The number of times dessert foods were eaten on each day for administration 2. This is the sum of the values from the variables admin2_cookies_hybrid and admin2_ice_cream_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the hybrid of the number of boxes checked as the total number of times dessert foods were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times dessert foods were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

IDATA - 7 Day Food Checklist Person: Data Dictionary 03/21/2016 Dataset: sevendayfood

Variable	Label	Description	Format Text
admin2_all_fruit_hybrid 1-7	Number of Times Fruit was Eaten on Day [X] of Administration 2	The number of times fruits were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This is the sum of the values from the variables admin2_fruit_salad_hybrid and admin2_oth_fruit_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables.	
		This version of the variable uses the hybrid of the number of boxes checked as the total number of times fruits were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times fruits were eaten when there are gaps in the checked boxes.	
admin2_all_meat_hybrid 1-7	Number of Times Meat, Poultry, or Fish were Eaten on Day [X] of Administration 2	The number of times meat was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This is the sum of the values from the variables admin2_beef_pork_hybrid, admin2_poultry_hybrid, and admin2_fish_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables.	
		This version of the variable uses the hybrid of the number of boxes checked as the total number of times meat was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times meat was eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin2_all_starch_hybri d1-7	Number of Times Potatoes, Rice, or Pasta were Eaten on Day [X] of Administration 2	The number of times potatoes, rice, or pasta were eaten on each day for administration 2. This is the sum of the values from the variables admin2_potatoes_hybrid, admin2_rice_hybrid, and admin2_pasta_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the hybrid of the number of boxes checked as the total number of times potatoes, rice, or pasta were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times potatoes, rice, or pasta were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin2_all_vegetable_h ybrid1-7	Number of Times Vegetables were Eaten on Day [X] of Administration 2	The number of times vegetables were eaten on each day for administration 2. This is the sum of the values from the variables admin2_salad greens_hybrid, admin2_lettuce_hybrid, and admin2_oth_veg_hybrid for the corresponding day. The foods included in this variable are all of the foods included in those variables. This version of the variable uses the hybrid of the number of boxes checked as the total number of times vegetables were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times vegetables were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_beans_hybrid1- 7	Number of Times Beans were Eaten on Day [X] of Administration 2	The number of times cooked, dried beans were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which cooked, dried beans were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times cooked, dried beans were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times cooked, dried beans were eaten when there are gaps in the checked boxes.	
admin2_beef_pork_hybr id1-7	Number of Times Beef or Pork was Eaten on Day [X] of Administration 2	The number of times beef, pork, ham, bacon, or sausage were eaten on each day for administration 2. This information comes from part of section B. One box is checked for each different meal or snack at which beef, pork, ham, bacon, or sausage were eaten.	Numeric .N="Not Applicable"
		This version of the variable uses the count of the number of boxes checked as the total number of times beef, pork, ham, bacon, or sausage were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times beef, pork, ham, bacon, or sausage were eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin2_butter_hybrid1- 7	Number of Times Butter or Margarine were Eaten on Day [X] of Administration 2	The number of times butter or margarine were eaten on each day for administration 2. This information comes from part of section G. One box is checked for each different meal or snack at which butter or margarine were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times butter or margarine were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times butter or margarine were eaten when there	Numeric .N="Not Applicable"
admin2_candy_hybrid1- 7	Number of Times Candy was Eaten on Day [X] of Administration 2	are gaps in the checked boxes. The number of times candy was eaten on each day for administration 2. This information comes from part of section E. One box is checked for each different meal or snack at which candy was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times candy was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times candy was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin2_cereal_hybrid1- 7	Number of Times Cereal was Eaten on Day [X] of Administration 2	The number of times cereal was eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which cereal was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times cereal was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times cereal was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_cheese_hybrid1 -7	Number of Times Cheese was Eaten on Day [X] of Administration 2	The number of times cheese was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section C. One box is checked for each different meal or snack at which cheese was eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times cheese was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times cheese was eaten when there are gaps in the checked boxes.	
admin2_chili_hybrid1-7	Number of Times Chili was Eaten on Day [X] of Administration 2	The number of times chili was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which chili was eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times chili was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times chili was eaten when there are gaps in the checked boxes.	
admin2_cookies_hybrid 1-7	Number of Times Cookies, Pie, Cake, or Brownies were Eaten on Day [X] of Administration 2	The number of times cookies, pie, cake, or brownies were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section E. One box is checked for each different meal or snack at which cookies, pie, cake, or brownies were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times cookies, pie, cake, or brownies were eaten when the	
		boxes were checked in reverse order, and uses the highest box checked as the number of times cookies, pie, cake, or brownies were eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin2_doughnuts_hyb rid1-7	Number of Times Doughnuts, Danishes, etc. were Eaten on Day [X] of Administration 2	The number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times doughnuts, Danishes, sweet rolls, muffins, dessert breads, or pop-tarts were eaten when there are gaps in the checked boxes.	
admin2_eggs_hybrid1-7	Number of Times Eggs were Eaten on Day [X] of Administration 2	The number of times eggs were eaten on each day for administration 2. This information comes from part of section C. One box is checked for each different meal or snack at which eggs were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times eggs were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times eggs were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_fish_hybrid1-7	Number of Times Fish was Eaten on Day [X] of Administration 2	The number of times fish or seafood were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section B. One box is checked for each different meal or snack at which fish or seafood were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times fish or seafood were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times fish or seafood were eaten when there are gaps in the checked boxes.	
admin2_fruit_salad_hyb rid1-7	Number of Times Fruit Salad was Eaten on Day [X] of Administration 2	The number of times fruit salad or fruit cocktails were eaten on each day for administration 2. This information comes from part of section D. One box is checked for each different meal or snack at which fruit salad or fruit cocktails were eaten. This version of the variable uses the count of the number of boxes	Numeric .N="Not Applicable"
		checked as the total number of boxes checked as the total number of times fruit salad or fruit cocktails were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times fruit salad or fruit cocktails were eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin2_ice_cream_hybr id1-7	Number of Times Ice Cream was Eaten on Day [X] of Administration 2	The number of times ice cream, sorbet, or frozen yogurt were eaten on each day for administration 2. This information comes from part of section E. One box is checked for each different meal or snack at which ice cream, sorbet, or frozen yogurt were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times ice cream, sorbet, or frozen yogurt were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times ice cream, sorbet, or frozen yogurt were eaten when there are gaps in the	Numeric .N="Not Applicable"
admin2_lettuce_hybrid1 -7	Number of Times Lettuce was Eaten on Day [X] of Administration 2	checked boxes. The number of times lettuce other than in salad greens was eaten on each day for administration 2. This information comes from part of section D. One box is checked for each different meal or snack at which lettuce other than in salad greens was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times lettuce other than in salad greens was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times lettuce other than in salad greens was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_mayonnaise_hy brid1-7	Number of Times Mayonnaise or Salad Dressing were Eaten on Day [X] of Administration 2	The number of times mayonnaise or salad dressing were eaten on each day for administration 2. This information comes from part of section G. One box is checked for each different meal or snack at which mayonnaise or salad dressing were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times mayonnaise or salad dressing were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times mayonnaise or salad dressing were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin2_mexican_hybrid 1-7	Number of Times Mexican Food was Eaten on Day [X] of Administration 2	The number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten on each day for administration 2. This information comes from part of section A. One box is checked for each different meal or snack at which Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times Mexican food mixtures, such as tacos, tostados, burritos, fajitas, enchiladas, were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

IDATA - 7 Day Food Checklist Person: Data Dictionary 03/21/2016 Dataset: sevendayfood

Variable	Label	Description	Format Text
admin2_oth_bread_hybr id1-7	Number of Times Other Bread Items were Eaten on Day [X] of Administration 2	The number of times bread items other than those listed elsewhere were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section F. One box is checked for each different meal or snack at which bread items other than those listed elsewhere were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times bread items other than those listed elsewhere were eaten when the boxes were checked in reverse order or starting from the wrong row, and uses the highest box checked as the number of times bread items other than those listed elsewhere were eaten when there are gaps in the checked boxes.	
admin2_oth_fruit_hybrid 1-7	Number of Other Fruits Eaten on Day [X] of Administration 2	The number of fruits eaten on each day for administration 2 other than as part of fruit salads or fruit cocktails. This information comes from part of section D. One box is checked for each different fruit eaten other than as part of fruit salads or fruit cocktails at each meal or snack. This differs from most other questions on the form in that multiple boxes for other fruit can be marked for the same meal, rather than only marking at most	Numeric .N="Not Applicable"
		one box per meal. This version of the variable uses the count of the number of boxes checked as the total number of fruits eaten other than as part of fruit salads or fruit cocktails when the boxes were checked in reverse order, and uses the highest box checked as the number of fruits eaten other than as part of fruit salads or fruit cocktails when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin2_oth_veg_hybrid 1-7	Number of Other Vegetables Eaten on Day [X] of Administration 2	The number of vegetables eaten on each day for administration 2 other than those listed elsewhere. This information comes from part of section D. One box is checked for each different vegetable eaten other than those listed elsewhere at each meal or snack. This differs from most other questions on the form in that multiple boxes for other vegetables can be marked for the same meal, rather than only marking at most one box per meal. This version of the variable uses the count of the number of boxes checked as the total number of vegetables eaten other than those listed elsewhere when the boxes were checked in reverse order, and uses the highest box checked as the number of vegetables eaten other than those listed elsewhere when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin2_pancakes_hybri d1-7	Number of Times Pancakes, Waffles, or French Toast were Eaten on Day [X] of Administration 2	The number of times pancakes, waffles, or French toast were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which pancakes, waffles, or French toast were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times pancakes, waffles, or French toast were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times pancakes, waffles, or French toast were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_pasta_hybrid1-7	Number of Times Pasta was Eaten on Day [X] of Administration 2	The number of times pasta, spaghetti, or noodles were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which pasta, spaghetti, or noodles were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times pasta, spaghetti, or noodles were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times pasta, spaghetti, or noodles were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin2_pizza_hybrid1-7	Number of Times Pizza was Eaten on Day [X] of Administration 2	The number of times pizza was eaten on each day for administration 2. This information comes from part of section A. One box is checked for each different meal or snack at which pizza was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times pizza was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times pizza was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_popcorn_hybrid 1-7	Number of Times Popcorn, Crackers, Chips, or Pretzels were Eaten on Day [X] of Administration 2	The number of times popcorn, crackers, chips, or pretzels were eaten on each day for administration 2. This information comes from part of section E. One box is checked for each different meal or snack at which popcorn, crackers, chips, or pretzels were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times popcorn, crackers, chips, or pretzels were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times popcorn, crackers, chips, or pretzels were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin2_potatoes_hybri d1-7	Number of Times Potatoes were Eaten on Day [X] of Administration 2	The number of times potatoes were eaten on each day for administration 2. This information comes from part of section D. One box is checked for each different meal or snack at which potatoes were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times potatoes were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times potatoes were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_poultry_hybrid1 -7	Number of Times Poultry was Eaten on Day [X] of Administration 2	The number of times chicken, turkey, or duck were eaten on each day for administration 2. This information comes from part of section B. One box is checked for each different meal or snack at which chicken, turkey, or duck were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times chicken, turkey, or duck were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times chicken, turkey, or duck were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin2_rice_hybrid1-7	Number of Times Rice was Eaten on Day [X] of Administration 2	The number of times rice was eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which rice was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times rice was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times rice was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"
admin2_rolls_hybrid1-7	Number of Times Rolls were Eaten on Day [X] of Administration 2	The number of times rolls, English muffins, or bagels were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which rolls, English muffins, or bagels were eaten. This version of the variable uses the count of the number of boxes checked as the total number of times rolls, English muffins, or bagels were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times rolls, English muffins, or bagels were eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"

Variable	Label	Description	Format Text
admin2_salad_green_hy brid1-7	Number of Times Salad Greens were Eaten on Day [X] of Administration 2	The number of times salad greens were eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which salad greens were eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times salad greens were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times salad greens were eaten when there are gaps in the checked boxes.	
admin2_soup_hybrid1-7	Number of Times Soup was Eaten on Day [X] of Administration 2	The number of times soup was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section A. One box is checked for each different meal or snack at which soup was eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times soup was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times soup was eaten when there are gaps in the checked boxes.	
admin2_tomato_sauce_ hybrid1-7	Number of Times Tomato Sauce was Eaten on Day [X] of Administration 2	The number of times tomato sauce was eaten on each day for administration 2.	Numeric .N="Not Applicable"
		This information comes from part of section D. One box is checked for each different meal or snack at which tomato sauce was eaten.	
		This version of the variable uses the count of the number of boxes checked as the total number of times tomato sauce was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times tomato sauce was eaten when there are gaps in the checked boxes.	

Variable	Label	Description	Format Text
admin2_tortillas_hybrid 1-7	Number of Times Tortillas were Eaten on Day [X] of Administration 2	The number of times tortillas were eaten on each day for administration 2. This information comes from part of section F. One box is checked for each different meal or snack at which tortillas were eaten. This version of the variable uses the count of the number of boxes	Numeric .N="Not Applicable"
		the count of the number of boxes checked as the total number of times tortillas were eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times tortillas were eaten when there are gaps in the checked boxes.	
admin2_yogurt_hybrid1- 7	Number of Times Yogurt was Eaten on Day [X] of Administration 2	The number of times yogurt was eaten on each day for administration 2. This information comes from part of section C. One box is checked for each different meal or snack at which yogurt was eaten. This version of the variable uses the count of the number of boxes checked as the total number of times yogurt was eaten when the boxes were checked in reverse order, and uses the highest box checked as the number of times yogurt was eaten when there are gaps in the checked boxes.	Numeric .N="Not Applicable"