

# MDA2014-04-01 - Clinical Laboratory Data Other Lab Tests Data Dictionary

## TABLE OF CONTENTS

---

Document Summary.....	2
MDA2014-04-01 - Clinical Laboratory Data Other Lab Tests: Data Dictionary.....	3
Section 1: Identifiers .....	3
Section 2: Study-wide .....	4
Section 3: Clinical Laboratory Data Other Lab Tests .....	5

---

## Document Summary

Property	Value
Document Title	MDA2014-04-01 - Clinical Laboratory Data Other Lab Tests: Data Dictionary
Date Created	07/21/2022
Sections	3
Entries	19
Document Filename	dictionary_clinlabdataotherlabtests.rtf

---

# MDA2014-04-01 - Clinical Laboratory Data Other Lab Tests: Data Dictionary

## Section 1: Identifiers

---

Class	Variable	Label	Description	Format Text
01. Principal	<b>mrno</b>	Participant Id		Char

## Section 2: Study-wide

---

Class	Variable	Label	Description	Format Text
01. Principal	<b>accession</b>	Accession		Numeric
01. Principal	<b>form</b>	Form		"Clinical Lab Data - Other Lab Tests"="Clinical Lab Data - Other Lab Tests"
01. Principal	<b>institution</b>	Institution		"Columbia University Medical Center"="Columbia University Medical Center" "Galliera Hospital"="Galliera Hospital" "M. D. Anderson Cancer Center"="M. D. Anderson Cancer Center"
01. Principal	<b>interval</b>	Interval		"Event Interval not available"="Event Interval not available"
01. Principal	<b>interval_date</b>	Interval Date		SAS Date
01. Principal	<b>reg_date</b>	Registration Date		Char
01. Principal	<b>trial</b>	Trial		"MDA2014-04-01"="MDA2014-04-01"

## Section 3: Clinical Laboratory Data Other Lab Tests

Class	Variable	Label	Description	Format Text
01. Principal	<b>_449_9944_visit_date</b>	Visit Date		Char
01. Principal	<b>_449_9989_date_specimen_collected</b>	Date Specimen Collected		Char
01. Principal	<b>_449_9990_fasting</b>	Fasting		"No"="No" "Unknown"="Unknown" "Yes"="Yes"
01. Principal	<b>_449_9990_fasting_desc</b>	Fasting (Desc)		"No"="No" "Unknown"="Unknown" "Yes"="Yes"
01. Principal	<b>_450_9991_lab_test</b>	Lab Test		Char
01. Principal	<b>_450_9992_result</b>	Lab Test Result		Char
01. Principal	<b>_450_9993_units</b>	Lab Test Result Units		Char
01. Principal	<b>_450_9994_out_of_range</b>	Lab Test Result - Out of Range		"False"="False" "True"="True"
01. Principal	<b>_450_9995_clinically_significant0</b>	Lab Test Clinically Significant (Desc)		"No"="No" "Yes"="Yes"
01. Principal	<b>_450_9995_clinically_significant</b>	Lab Test Clinically Significant		"No"="No" "Yes"="Yes"
01. Principal	<b>_450_9996_comments</b>	Lab Test Comments		Char