

Cervical Cancer Data Dictionary

TABLE OF CONTENTS

Document Summary	2
Cervical Cancer: Data Dictionary	3
Section 1: Identifiers	3
Section 2: Cancer Status	4

Document Summary

Property	Value
Document Title	Cervical Cancer: Data Dictionary
Date Created	11/26/2025
Sections	2
Entries	14
Document Filename	dictionary_cervical-20251021.rtf

Cervical Cancer: Data Dictionary

Section 1: Identifiers

Variable	Label	Description	Format Text
dod_build	DoD Build	Build date for the build.	Char, 8
macs_id	Military Aviators Cancer Study ID	Study ID	Character

Section 2: Cancer Status

Variable	Label	Description	Format Text
cervical_cancer	Has Cervical Cancer	Did the subject have cervical cancer? This includes cervical cancers indicated in the registry or medical encounter data. For the medical encounter data, the subject must meet the incidence criteria as defined by AFHSD.	0="No" 1="Yes"
cervical_cancer_diagdays	Days From Entry To Cervical Cancer Diagnosis	Days from entry (enlistment) until first cervical cancer diagnosis.	Numeric .N="Not applicable"
cervical_cancer_icd9_10	Cervical Cancer ICD-9/10-CM Code	ICD-9/10-CM code for a cervical cancer diagnosis from the first medical encounter meeting the definition below. The medical encounter data is considered to indicate a diagnosis of cervical cancer if one of the following is true: 1. Cervical cancer was indicated in the first ICD-9/10-CM code in an inpatient record. 2. A relevant diagnostic procedure was indicated in the first ICD-9/10-CM code and cervical cancer was indicated in the second ICD-9/10-CM code in an inpatient record. 3. Cervical cancer was indicated in the first or second ICD-9/10-CM codes in three outpatient records occurring in a 90 day period.	Character See ICD-9/10 Documentation
cervical_cancer_icd9_10_version	Cervical Cancer ICD-9/10 Version	ICD-9/10 version for a cervical cancer diagnosis from the medical encounters.	.F="No data from this source" .N="Not applicable" 9="ICD-9" 10="ICD-10"
cervical_cancer_icdo_behavior	Cervical Cancer ICD-O Behavior	ICD-O behavior of the first cervical cancer diagnosis from a registry.	.F="No data from this source" .N="Not applicable" 3="Invasive"
cervical_cancer_icdo_morphology	Cervical Cancer ICD-O Morphology	ICD-O morphology of the first cervical cancer diagnosis from a registry.	Numeric See ICD-O Documentation .F="No data from this source" .N="Not applicable"
cervical_cancer_icdo_topography	Cervical Cancer ICD-O Topography	ICD-O topography of the first cervical cancer diagnosis from a registry.	"C530"="Endocervix" "C539"="Cervix Uteri, Unspecified"
cervical_cancer_icdo_version	Cervical Cancer ICD-O Version	ICD-O version of the first cervical cancer diagnosis from a registry.	.F="No data from this source" .N="Not applicable" 3="ICD-O-3"
cervical_cancer_seer_recode	Cervical Cancer SEER Recode	SEER site recode built using the first cervical cancer diagnosis.	.N="Not applicable" 27010="Cervical"

Variable	Label	Description	Format Text
cervical_cancer_source	Cervical Cancer Source	Sources which confirm a cervical cancer diagnosis.	0="No cancer" 1="Both registry and medical encounters" 2="Registry only" 3="Medical encounters only"
cervical_cancer_status	Cervical Cancer Status	Cervical cancer status. Cancers are considered confirmed if a cancer registry reported the cancer or if the medical encounter data indicated a cancer which met the AFHSD definition of cancer incidence. Unconfirmed cancers are those reported in the medical encounter data that do not meet the definition of cancer incidence.	0="No Cancer" 1="Confirmed Cancer" 2="Unconfirmed Cancer"
cervical_cancer_year_diagnosis	Year Of Cervical Cancer Diagnosis	Year bladder cancer was first diagnosed.	Numeric .N="Not applicable"