

NWU2016-08-02 - Liver Function Tests and Coagulation Data Dictionary

TABLE OF CONTENTS

Document Summary.....	2
NWU2016-08-02 - Liver Function Tests and Coagulation: Data Dictionary.....	3
Section 1: Identifiers	3
Section 2: Liver Function Tests and Coagulation	4

Document Summary

Property	Value
Document Title	NWU2016-08-02 - Liver Function Tests and Coagulation: Data Dictionary
Date Created	08/25/2025
Sections	2
Entries	57
Document Filename	dictionary_lft.rtf

NWU2016-08-02 - Liver Function Tests and Coagulation: Data Dictionary

Section 1: Identifiers

Class	Variable	Label	Description	Format Text
01. Principal	ptid	Participant ID		Char

Section 2: Liver Function Tests and Coagulation

Class	Variable	Label	Description	Format Text
01. Principal	lft_alb_cs	Albumin: Clinically Significant		"0"="No" "1"="Yes"
01. Principal	lft_alb_oor	Albumin: Out Of Range		0="No" 1="Yes"
01. Principal	lft_alb_rslt	Albumin: Result (g/dL)		Numeric
01. Principal	lft_alp_cs	Alkaline Phosphatase: Clinically Significant		"0"="No" "1"="Yes"
01. Principal	lft_alp_oor	Alkaline Phosphatase: Out Of Range		0="No" 1="Yes"
01. Principal	lft_alp_rslt	Alkaline Phosphatase: Result (U/L)		Numeric
01. Principal	lft_alt_cs	ALT: Clinically Significant		0="No" 1="Yes"
01. Principal	lft_alt_oor	ALT: Out Of Range		0="No" 1="Yes"
01. Principal	lft_alt_rslt	ALT: Result (U/L)		Numeric
01. Principal	lft_ast_cs	AST: Clinically Significant		0="No" 1="Yes"
01. Principal	lft_ast_oor	AST: Out Of Range		0="No" 1="Yes"
01. Principal	lft_ast_rslt	AST: Result (U/L)		Numeric
01. Principal	lft_comments	Comments		Char
01. Principal	lft_date	Visit Date		Char
01. Principal	lft_date_time	Visit Time		Char
01. Principal	lft_dbil_cs	Direct Bilirubin: Clinically Significant		0="No" 1="Yes"
01. Principal	lft_dbil_oor	Direct Bilirubin: Out Of Range		0="No" 1="Yes"
01. Principal	lft_dbil_rslt	Direct Bilirubin: Result (mg/dL)		Numeric
01. Principal	lft_ggt_cs	GGT: Clinically Significant		"0"="No" "1"="Yes"
01. Principal	lft_ggt_oor	GGT: Out Of Range		"0"="No" "1"="Yes"
01. Principal	lft_ggt_rslt	GGT: Result (U/L)		Char
01. Principal	lft_ibil_cs	Indirect Bilirubin: Clinically Significant		"0"="No" "1"="Yes"
01. Principal	lft_ibil_oor	Indirect Bilirubin: Out Of Range		0="No" 1="Yes"
01. Principal	lft_ibil_rslt	Indirect Bilirubin: Result (mg/dL)		Numeric

Class	Variable	Label	Description	Format Text
01. Principal	lft_inr_cs	International Normalized Ratio (INR): Clinically Significant		"0"="No" "1"="Yes"
01. Principal	lft_inr_oor	International Normalized Ratio (INR): Out Of Range		0="No" 1="Yes"
01. Principal	lft_inr_rslt	International Normalized Ratio (INR): Result		Numeric
01. Principal	lft_lab	Laboratory Affiliation		1="Georgetown/Medstar Hospital" 2="University of Puerto Rico Hospital" 3="LabCorp" 4="Quest" 5="Other"
01. Principal	lft_mg_cs	Magnesium: Clinically Significant		"0"="No" "1"="Yes"
01. Principal	lft_mg_oor	Magnesium: Out Of Range		"0"="No" "1"="Yes"
01. Principal	lft_mg_rslt	Magnesium: Result (mmol/L)		Char
01. Principal	lft_oth1	Other Test 1		Char
01. Principal	lft_oth1_cs	Other Test 1: Clinically Significant		0="No" 1="Yes"
01. Principal	lft_oth1_oor	Other Test 1: Out Of Range		0="No" 1="Yes"
01. Principal	lft_oth1_rslt	Other Test 1: Result		Numeric
01. Principal	lft_oth1_unit	Other Test 1: Unit		Char
01. Principal	lft_oth2	Other Test 2		Char
01. Principal	lft_oth2_cs	Other Test 2: Clinically Significant		"0"="No" "1"="Yes"
01. Principal	lft_oth2_oor	Other Test 2: Out Of Range		"0"="No" "1"="Yes"
01. Principal	lft_oth2_rslt	Other Test 2: Result		Char
01. Principal	lft_oth2_unit	Other Test 2: Units		Char
01. Principal	lft_oth3	Other Test 3		Char
01. Principal	lft_oth3_cs	Other Test 3: Clinically Significant		"0"="No" "1"="Yes"
01. Principal	lft_oth3_oor	Other Test 3: Out Of Range		"0"="No" "1"="Yes"
01. Principal	lft_oth3_rslt	Other Test 3: Result		Char
01. Principal	lft_oth3_unit	Other Test 3: Units		Char
01. Principal	lft_others_oor	Others Out Of Range?		0="No" 1="Yes"
01. Principal	lft_ph_cs	Phosphorus: Clinically Significant		"0"="No" "1"="Yes"
01. Principal	lft_ph_oor	Phosphorus: Out Of Range		"0"="No" "1"="Yes"

Class	Variable	Label	Description	Format Text
01. Principal	lft_ph_rslt	Phosphorus: Result (mg/dL)		Char
01. Principal	lft_tbil_cs	Total Bilirubin: Clinically Significant		0="No" 1="Yes"
01. Principal	lft_tbil_oor	Total Bilirubin: Out Of Range		0="No" 1="Yes"
01. Principal	lft_tbil_rslt	Total Bilirubin: Result (mg/dL)		Numeric
01. Principal	lft_tp_cs	Total Protein: Clinically Significant		0="No" 1="Yes"
01. Principal	lft_tp_oor	Total Protein: Out Of Range		0="No" 1="Yes"
01. Principal	lft_tp_rslt	Total Protein: Result (g/dL)		Numeric