

<i>Chronic Conditions Specimen Availability Section</i>	<i>Description</i>
3.1	Specimen Availability by Condition
3.2	Specimen and Questionnaire Availability for Conditions
3.3	Genetic Specimen Availability by Randomization Group
3.4	Biochemical Specimen Availability
3.5	Specimen Availability by Race, Smoking History and Gender for Conditions
3.6	Specimen Availability by Confirmed Cancer of Interest for Chronic Conditions

Table 3.1: Specimen Availability By Chronic Condition

	<i>Serum</i>	<i>EDTA Plasma</i>	<i>Heparin Plasma</i>	<i>Serum + DNA</i>	<i>Any DNA</i>	<i>In PLCO Total GWAS</i>
<i>Chronic Condition</i>						
<i>Has CMS Chronic Condition Data</i>	13110	11962	12812	12937	25917	24681
<i>Alzheimers Disease and Related Disorders or Senile Dementia</i>	1323	1155	1291	1285	2472	2375
<i>Alzheimers Disease</i>	429	374	417	415	782	752
<i>Acute Myocardial Infarction (Heart Attack)</i>	724	632	706	706	1353	1270
<i>Anemia</i>	7108	6357	6933	6992	14164	13519
<i>Asthma</i>	1698	1526	1644	1676	3373	3206
<i>Atrial Fibrillation</i>	2408	2107	2356	2363	4872	4637
<i>Cataracts</i>	10753	9709	10518	10599	21377	20373
<i>Congestive Heart Failure</i>	2939	2566	2859	2874	5735	5459
<i>Chronic Kidney Disease</i>	3430	3065	3356	3367	6706	6394
<i>Chronic Obstructive Pulmonary Disease and Bronchiectasis</i>	2798	2473	2720	2740	5495	5200
<i>Depression</i>	3213	2889	3130	3154	6287	6043
<i>Diabetes</i>	3724	3388	3637	3676	7274	6918
<i>Glaucoma</i>	3776	3396	3679	3714	7564	7242
<i>Hip Pelvic Fracture</i>	427	370	417	414	861	839
<i>Hyperlipidemia</i>	10617	9649	10382	10468	21063	20058
<i>Benign Prostatic Hyperplasia</i>	3374	2974	3310	3320	6598	6285
<i>Hypertension</i>	10311	9327	10081	10166	20357	19407
<i>Acquired Hypothyroidism</i>	3599	3235	3522	3547	7265	6958
<i>Ischemic Heart Disease</i>	6237	5561	6093	6137	12258	11686
<i>Osteoporosis</i>	3138	2802	3069	3088	6293	6033
<i>Rheumatoid Arthritis/Osteoarthritis</i>	8251	7466	8072	8127	16473	15754
<i>Stroke / Transient Ischemic Attack</i>	1881	1657	1836	1837	3751	3619

Serum/Plasma availability limited to subjects with biochemical consent. Subjects with rare cancer are excluded from having biochemical specimen. Serum and Plasma are considered available if there are 2+ parent vials that did not undergo an uncontrolled thaw in a study year, or if .1+ mL of material from aliquots are available. Exception to the above: Plasma is considered available in T4 if the sole parent vial collected did not undergo an uncontrolled thaw, or if 1.8+ mL of plasma from aliquots are available. DNA availability is based on subjects with genetic consent and DNA Source, Extracted DNA or Pending DNA from either arm.

Table 3.2: Specimen and Questionnaire Availability for Chronic Conditions

<i>Chronic Condition</i>	<i>Questionnaire Availability</i>									
	<i>DQX</i>		<i>DHQ</i>		<i>DQX or DHQ</i>		<i>DQX and DHQ</i>		<i>SQX</i>	
	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>
<i>Has CMS Chronic Condition Data</i>	11835	12288	11941	22710	12818	23647	10958	11351	11891	23691
<i>Alzheimers Disease and Related Disorders or Senile Dementia</i>	1195	1217	1211	2201	1292	2292	1114	1126	1183	2238
<i>Alzheimers Disease</i>	375	377	388	686	418	722	345	341	384	707
<i>Acute Myocardial Infarction (Heart Attack)</i>	668	690	662	1189	713	1242	617	637	657	1228
<i>Anemia</i>	6387	6688	6415	12338	6929	12888	5873	6138	6408	12906
<i>Asthma</i>	1485	1555	1532	2944	1641	3060	1376	1439	1521	3045
<i>Atrial Fibrillation</i>	2219	2306	2201	4320	2364	4495	2056	2131	2193	4473
<i>Cataracts</i>	9802	10193	9837	18816	10536	19565	9103	9444	9813	19655
<i>Congestive Heart Failure</i>	2657	2753	2653	5022	2870	5254	2440	2521	2638	5190
<i>Chronic Kidney Disease</i>	3108	3250	3102	5860	3358	6131	2852	2979	3112	6117
<i>Chronic Obstructive Pulmonary Disease and Bronchiectasis</i>	2470	2577	2524	4771	2723	4983	2271	2365	2502	4954
<i>Depression</i>	2893	3012	2914	5494	3137	5736	2670	2770	2865	5653
<i>Diabetes</i>	3305	3468	3330	6272	3620	6587	3015	3153	3298	6532
<i>Glaucoma</i>	3390	3525	3439	6595	3676	6850	3153	3270	3447	6944
<i>Hip Pelvic Fracture</i>	393	406	397	773	421	800	369	379	395	794
<i>Hyperlipidemia</i>	9611	9985	9664	18422	10378	19189	8897	9218	9632	19256
<i>Benign Prostatic Hyperplasia</i>	3066	3182	3046	5704	3292	5963	2820	2923	3059	6003
<i>Hypertension</i>	9306	9680	9351	17821	10072	18588	8585	8913	9335	18569
<i>Acquired Hypothyroidism</i>	3249	3393	3298	6424	3533	6683	3014	3134	3260	6639
<i>Ischemic Heart Disease</i>	5637	5853	5666	10735	6097	11193	5206	5395	5639	11168
<i>Osteoporosis</i>	2850	2975	2872	5576	3075	5801	2647	2750	2863	5778
<i>Rheumatoid Arthritis/Osteoarthritis</i>	7488	7772	7533	14505	8078	15088	6943	7189	7511	15113
<i>Stroke / Transient Ischemic Attack</i>	1715	1759	1697	3295	1832	3434	1580	1620	1693	3428

Serum Availability: Subject has biochemical consent, no rare cancer, and 2+ parent vials that did not undergo an uncontrolled thaw or .1+ mL of material from aliquots in a study year.

DNA Source Availability: Subject has genetic consent and either 1+ vial of buffy coat, 7+ vials of whole blood, 10+ ug of dna, pending DNA, or 2+ vials of buccal cell.

Table 3.3: Genetic Specimen Availability by Randomization Group

	<i>Intervention Arm</i>						<i>Control Arm</i>				<i>Overall</i>			
	<i>Buccal Cell</i>	<i>Buffy Coat</i>	<i>Whole Blood</i>	<i>Extracted DNA</i>	<i>DNA Pending Extraction</i>	<i>Any</i>	<i>Buccal Cell</i>	<i>Extracted DNA</i>	<i>DNA Pending Extraction</i>	<i>Any</i>	<i>Source Material</i>	<i>Extracted DNA</i>	<i>DNA Pending Extraction</i>	<i>Any</i>
<i>Chronic Condition</i>														
<i>Has CMS Chronic Condition Data</i>	8497	12658	11505	8984	743	14064	11659	6153	206	11853	25439	15137	949	25917
<i>Alzheimers Disease and Related Disorders or Senile Dementia</i>	395	1232	1102	913	75	1369	1067	568	27	1103	2369	1481	102	2472
<i>Alzheimers Disease</i>	80	399	352	292	26	436	332	189	6	346	744	481	32	782
<i>Acute Myocardial Infarction (Heart Attack)</i>	339	676	609	525	21	756	576	306	13	597	1299	831	34	1353
<i>Anemia</i>	4146	6837	6174	5012	442	7686	6329	3374	122	6478	13807	8386	564	14164
<i>Asthma</i>	987	1623	1469	1154	105	1831	1509	800	31	1542	3280	1954	136	3373
<i>Atrial Fibrillation</i>	1221	2275	2056	1739	132	2560	2246	1251	38	2312	4714	2990	170	4872
<i>Cataracts</i>	6924	10309	9358	7401	640	11557	9651	5113	170	9820	20948	12514	810	21377
<i>Congestive Heart Failure</i>	1360	2773	2476	2134	162	3118	2542	1423	62	2617	5545	3557	224	5735
<i>Chronic Kidney Disease</i>	1763	3286	2971	2478	174	3683	2931	1615	72	3023	6492	4093	246	6706
<i>Chronic Obstructive Pulmonary Disease and Bronchiectasis</i>	1408	2671	2380	2064	165	2998	2431	1252	57	2497	5327	3316	222	5495
<i>Depression</i>	1725	3074	2778	2214	215	3431	2805	1483	54	2856	6135	3697	269	6287
<i>Diabetes</i>	2133	3608	3246	2681	164	4014	3196	1759	67	3260	7103	4440	231	7274
<i>Glaucoma</i>	2411	3617	3254	2560	237	4082	3420	1811	54	3482	7402	4371	291	7564
<i>Hip Pelvic Fracture</i>	176	395	359	293	30	451	398	227	11	410	831	520	41	861
<i>Hyperlipidemia</i>	6767	10227	9295	7312	599	11399	9502	5005	169	9664	20659	12317	768	21063
<i>Benign Prostatic Hyperplasia</i>	2033	3186	2945	2586	48	3640	2904	1554	48	2958	6419	4140	96	6598
<i>Hypertension</i>	6402	9929	8994	7199	568	11077	9115	4843	171	9280	19932	12042	739	20357
<i>Acquired Hypothyroidism</i>	2251	3464	3112	2432	273	3869	3347	1736	61	3396	7118	4168	334	7265
<i>Ischemic Heart Disease</i>	3545	5938	5357	4453	314	6654	5481	2942	118	5604	11951	7395	432	12258
<i>Osteoporosis</i>	1879	3010	2675	2003	276	3370	2877	1461	57	2923	6170	3464	333	6293
<i>Rheumatoid Arthritis/Osteoarthritis</i>	5139	7924	7218	5679	509	8814	7535	4019	136	7659	16148	9698	645	16473
<i>Stroke / Transient Ischemic Attack</i>	925	1766	1569	1321	82	1982	1731	934	32	1769	3641	2255	114	3751

Genetic Specimen Availability limited to subjects with genetic consent.

Table 3.4: Biochemical Specimen Availability

	Serum					Serum, Zinc - Free*	EDTA Plasma			Heparin Plasma			RBC				
	Any	T0	No. Years Avail				Any	No. Years Avail		Any	T0	No. Years Avail	Any	T0	No. Years Avail		
			2+	3+	4+			2+	3+						2+	3+	
Chronic Condition																	
<i>Has CMS Chronic Condition Data</i>	13110	12071	12747	12089	9757	11679	11962	10577	8055	12812	11844	9417	13449	12425	11974	9198	
<i>Alzheimers Disease and Related Disorders or Senile Dementia</i>	1323	1229	1282	1196	845	1183	1155	932	682	1291	1198	840	1354	1260	1142	804	
<i>Alzheimers Disease</i>	429	396	414	380	275	383	374	305	231	417	384	276	436	400	364	255	
<i>Acute Myocardial Infarction (Heart Attack)</i>	724	670	704	658	489	658	632	534	383	706	657	483	751	698	639	450	
<i>Anemia</i>	7108	6560	6903	6498	5056	6343	6357	5500	4087	6933	6428	4908	7361	6825	6423	4816	
<i>Asthma</i>	1698	1537	1630	1518	1192	1471	1526	1325	983	1644	1507	1175	1743	1596	1538	1130	
<i>Atrial Fibrillation</i>	2408	2239	2341	2203	1659	2143	2107	1800	1306	2356	2187	1605	2496	2331	2137	1568	
<i>Cataracts</i>	10753	9924	10450	9890	7846	9589	9709	8509	6483	10518	9731	7598	11043	10221	9733	7385	
<i>Congestive Heart Failure</i>	2939	2720	2853	2670	1975	2608	2566	2148	1549	2859	2660	1935	3031	2826	2581	1863	
<i>Chronic Kidney Disease</i>	3430	3180	3341	3144	2412	3053	3065	2629	1913	3356	3110	2355	3559	3317	3114	2307	
<i>Chronic Obstructive Pulmonary Disease and Bronchiectasis</i>	2798	2567	2702	2522	1949	2484	2473	2117	1546	2720	2499	1877	2895	2689	2501	1846	
<i>Depression</i>	3213	2965	3113	2934	2301	2854	2889	2500	1878	3130	2887	2220	3295	3062	2900	2169	
<i>Diabetes</i>	3724	3427	3609	3381	2701	3305	3388	2940	2148	3637	3358	2581	3855	3557	3403	2579	
<i>Glaucoma</i>	3776	3479	3669	3490	2720	3362	3396	2971	2235	3679	3407	2646	3870	3568	3396	2566	
<i>Hip Pelvic Fracture</i>	427	394	416	383	281	378	370	312	221	417	386	276	440	412	369	272	
<i>Hyperlipidemia</i>	10617	9791	10312	9765	7840	9477	9649	8487	6434	10382	9600	7568	10893	10082	9667	7383	
<i>Benign Prostatic Hyperplasia</i>	3374	3166	3309	3131	2372	3069	2974	2580	1906	3310	3101	2319	3496	3292	3040	2337	
<i>Hypertension</i>	10311	9514	10016	9472	7545	9191	9327	8170	6148	10081	9330	7278	10599	9816	9351	7118	
<i>Acquired Hypothyroidism</i>	3599	3298	3481	3290	2629	3197	3235	2861	2181	3522	3252	2545	3699	3412	3231	2459	
<i>Ischemic Heart Disease</i>	6237	5791	6055	5705	4440	5578	5561	4815	3554	6093	5668	4299	6415	5965	5579	4196	
<i>Osteoporosis</i>	3138	2904	3016	2848	2233	2797	2802	2436	1821	3069	2846	2171	3220	2986	2793	2107	
<i>Rheumatoid Arthritis/Osteoarthritis</i>	8251	7630	8018	7589	6045	7379	7466	6544	4959	8072	7484	5848	8482	7876	7478	5696	
<i>Stroke / Transient Ischemic Attack</i>	1881	1748	1823	1710	1258	1685	1657	1379	991	1836	1703	1214	1936	1805	1667	1188	

Specimen availability based on biochemical consent and no rare cancer. *EEMS guidelines reserve Zinc-free vial unless given special permission.

Serum/Plasma are available if there are 2+ parent vials that did not undergo an uncontrolled thaw in a study year, or if .1+ mL of material from aliquots are available. (T4 Plasma being the exception as before).

Table 3.5: Specimen Availability by Race, Gender and Smoking History for Chronic Conditions

Chronic Condition	Race								Gender				Smoking History					
	White		Black		Hispanic		Other		Female		Male		Former		Never		Current	
	Serum	DNA	Serum	DNA	Serum	DNA	Serum	DNA	Serum	DNA	Serum	DNA	Serum	DNA	Serum	DNA	Serum	DNA
<i>Has CMS Chronic Condition Data</i>	11910	23402	310	554	179	333	711	1628	6606	13351	6504	12566	5714	11551	6447	12587	949	1779
<i>Alzheimers Disease and Related Disorders or Senile Dementia</i>	1209	2227	34	61	17	29	63	155	665	1283	658	1189	552	1069	674	1232	97	171
<i>Alzheimers Disease</i>	391	703	9	16	5	8	24	55	215	408	214	374	177	329	224	406	28	47
<i>Acute Myocardial Infarction (Heart Attack)</i>	667	1246	16	24	8	12	33	71	232	447	492	906	357	681	307	563	60	109
<i>Anemia</i>	6415	12676	218	402	98	192	377	894	3703	7550	3405	6614	3134	6411	3446	6768	528	985
<i>Asthma</i>	1512	2970	42	88	24	48	120	267	1021	2082	677	1291	767	1613	780	1498	151	262
<i>Atrial Fibrillation</i>	2271	4560	33	67	18	46	86	199	987	2078	1421	2794	1138	2330	1115	2231	155	311
<i>Cataracts</i>	9837	19403	220	407	127	256	569	1311	5743	11600	5010	9777	4629	9480	5385	10500	739	1397
<i>Congestive Heart Failure</i>	2683	5207	94	178	39	67	123	283	1314	2691	1625	3044	1419	2760	1263	2513	257	462
<i>Chronic Kidney Disease</i>	3103	5991	97	194	51	99	179	422	1479	3012	1951	3694	1592	3159	1567	3032	271	515
<i>Chronic Obstructive Pulmonary Disease and Bronchiectasis</i>	2551	4990	87	146	38	65	122	294	1413	2836	1385	2659	1410	2823	872	1718	516	954
<i>Depression</i>	3009	5842	54	99	37	80	113	266	2075	4148	1138	2139	1336	2744	1571	3003	306	540
<i>Diabetes</i>	3234	6280	148	274	72	128	270	592	1653	3375	2071	3899	1719	3410	1699	3311	306	553
<i>Glaucoma</i>	3294	6567	148	267	53	99	281	631	2064	4296	1712	3268	1587	3282	1936	3796	253	486
<i>Hip Pelvic Fracture</i>	405	820	7	12	2	5	13	24	284	567	143	294	173	368	218	428	36	65
<i>Hyperlipidemia</i>	9575	18876	260	462	142	266	640	1459	5330	10893	5287	10170	4711	9538	5129	10050	777	1475
<i>Benign Prostatic Hyperplasia</i>	3026	5844	80	136	52	108	216	510	.	.	3374	6598	1723	3450	1407	2687	244	461
<i>Hypertension</i>	9312	18239	275	504	146	277	578	1337	5146	10412	5165	9945	4606	9252	4933	9676	772	1429
<i>Acquired Hypothyroidism</i>	3321	6662	71	159	43	86	164	358	2487	5102	1112	2163	1507	3082	1879	3747	213	436
<i>Ischemic Heart Disease</i>	5670	11056	164	318	82	152	321	732	2704	5561	3533	6697	2908	5791	2829	5535	500	932
<i>Osteoporosis</i>	2844	5655	57	109	27	72	210	457	2739	5504	399	789	1145	2368	1788	3518	205	407
<i>Rheumatoid Arthritis/Osteoarthritis</i>	7586	15064	199	368	97	190	369	851	4602	9441	3649	7032	3581	7363	4131	8091	539	1019
<i>Stroke / Transient Ischemic Attack</i>	1702	3358	54	99	22	41	103	253	897	1867	984	1884	840	1709	888	1760	153	282

'Other' Race: Asians, Pacific Islanders, American Indians, Unknown. 'Other' Smoking: Unknown or Ambiguous. DNA Availability is based on Source DNA, extracted DNA and DNA Pending Extraction. Serum Availability is based on having 2+ parent vials that did not undergo an uncontrolled thaw in a study year, or if .1+ mL of material from aliquots are available.

Table 3.6: Specimen Availability by Confirmed Cancer of Interest for Chronic Conditions

<i>Chronic Condition</i>	<i>Cancer of interest</i>																	
	<i>Prostate</i>		<i>Lung</i>		<i>Colon</i>		<i>Ovarian</i>		<i>Pancreatic</i>		<i>Melanoma</i>		<i>Bladder</i>		<i>Breast</i>		<i>Hematopoietic</i>	
	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>
<i>Has CMS Chronic Condition Data</i>	1179	2148	230	410	183	402	52	89	44	87	412	804	237	481	632	1251	390	759
<i>Alzheimers Disease and Related Disorders or Senile Dementia</i>	128	228	33	49	17	44	4	8	5	8	50	79	34	58	54	120	48	83
<i>Alzheimers Disease</i>	38	66	13	17	7	10	4	5	3	3	16	24	11	15	16	41	14	23
<i>Acute Myocardial Infarction (Heart Attack)</i>	82	151	24	36	15	42	6	7	5	7	22	35	20	37	20	32	31	52
<i>Anemia</i>	673	1242	163	294	133	287	44	72	34	69	221	429	149	307	393	771	305	596
<i>Asthma</i>	120	245	41	79	27	62	8	13	4	9	51	96	32	57	111	219	62	120
<i>Atrial Fibrillation</i>	248	482	55	109	54	108	8	13	8	19	91	181	64	134	108	235	100	205
<i>Cataracts</i>	953	1740	202	358	156	344	45	79	35	72	348	677	200	418	556	1098	324	636
<i>Congestive Heart Failure</i>	286	536	70	127	58	133	16	22	11	21	92	175	72	149	126	267	130	250
<i>Chronic Kidney Disease</i>	378	686	73	140	80	160	20	38	17	33	123	226	113	216	138	282	155	306
<i>Chronic Obstructive Pulmonary Disease and Bronchiectasis</i>	232	431	135	245	59	106	7	12	12	18	80	147	77	147	149	292	122	225
<i>Depression</i>	206	385	70	122	58	110	15	26	14	25	91	184	73	132	198	408	95	195
<i>Diabetes</i>	358	644	79	133	62	147	16	25	18	35	108	214	96	176	146	324	129	235
<i>Glaucoma</i>	340	613	60	108	57	117	18	31	15	27	119	243	82	141	204	420	106	218
<i>Hip Pelvic Fracture</i>	31	70	9	18	10	19	1	3	2	6	16	28	7	25	25	47	19	40
<i>Hyperlipidemia</i>	976	1779	196	356	150	330	39	68	37	75	354	672	201	402	530	1019	329	625
<i>Benign Prostatic Hyperplasia</i>	585	1093	69	125	59	126	.	.	12	23	147	290	126	252	.	.	128	253
<i>Hypertension</i>	950	1740	203	358	164	342	35	63	35	74	334	659	209	410	489	981	325	618
<i>Acquired Hypothyroidism</i>	211	394	56	109	62	122	22	31	11	26	111	212	45	119	230	472	117	226
<i>Ischemic Heart Disease</i>	667	1199	153	277	110	237	23	37	24	44	202	380	160	295	264	517	225	425
<i>Osteoporosis</i>	96	183	59	111	43	97	23	32	11	23	87	171	34	76	269	548	101	197
<i>Rheumatoid Arthritis/Osteoarthritis</i>	691	1294	148	269	118	253	31	57	32	61	273	520	146	315	435	897	262	514
<i>Stroke / Transient Ischemic Attack</i>	184	319	50	86	40	66	7	13	7	12	63	118	54	99	69	156	53	112

DNA Availability is based on Source DNA, extracted DNA and DNA Pending Extraction.

Serum Availability is based on prediagnostic availability - 2+ parent vials that did not undergo an uncontrolled thaw in a study year, or if .1+ mL of material from aliquots are available.

Table 3.6: Specimen Availability by Confirmed Cancer of Interest for Chronic Conditions

<i>Chronic Condition</i>	<i>Cancer of interest</i>																	
	<i>Endometrial</i>		<i>Glioma</i>		<i>Renal</i>		<i>Thyroid</i>		<i>Head and Neck</i>		<i>Liver</i>		<i>Upper GI</i>		<i>Biliary</i>		<i>Male Breast</i>	
	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>	<i>Serum</i>	<i>DNA</i>
<i>Has CMS Chronic Condition Data</i>	94	210	15	32	100	203	46	97	74	140	17	32	46	95	14	23	8	15
<i>Alzheimers Disease and Related Disorders or Senile Dementia</i>	9	17	0	2	7	18	4	11	9	17	0	2	2	6	0	0	.	.
<i>Alzheimers Disease</i>	4	6	.	.	1	5	3	5	1	3	0	1	1	2
<i>Acute Myocardial Infarction (Heart Attack)</i>	2	3	.	.	8	16	1	5	4	7	1	1	3	5	.	.	2	3
<i>Anemia</i>	56	124	9	21	78	151	31	66	46	88	12	25	38	76	11	18	6	13
<i>Asthma</i>	14	31	2	4	16	35	10	22	12	21	5	6	9	18	2	3	0	1
<i>Atrial Fibrillation</i>	16	39	4	8	29	56	13	25	20	43	5	9	13	25	3	5	2	4
<i>Cataracts</i>	83	185	14	28	80	166	34	77	58	114	13	27	40	81	11	18	8	15
<i>Congestive Heart Failure</i>	19	39	5	10	35	67	18	30	24	47	2	3	17	29	4	7	2	5
<i>Chronic Kidney Disease</i>	23	52	6	16	86	173	20	35	24	44	5	13	24	41	5	8	2	4
<i>Chronic Obstructive Pulmonary Disease and Bronchiectasis</i>	16	41	4	10	30	64	14	28	32	57	3	5	22	34	4	5	3	4
<i>Depression</i>	33	65	6	12	22	50	18	34	18	44	5	10	16	27	5	6	0	3
<i>Diabetes</i>	30	60	2	8	44	83	13	26	21	39	5	12	19	39	5	10	1	2
<i>Glaucoma</i>	27	59	7	11	28	68	16	34	13	31	6	11	9	23	5	7	1	2
<i>Hip Pelvic Fracture</i>	3	6	0	1	8	14	0	3	6	9	.	.	2	2	1	1	.	.
<i>Hyperlipidemia</i>	74	163	15	30	82	171	36	80	53	107	13	25	37	77	14	20	6	13
<i>Benign Prostatic Hyperplasia</i>	.	.	5	12	41	89	8	16	31	62	3	8	23	40	3	6	6	11
<i>Hypertension</i>	75	160	13	28	93	188	37	81	59	114	15	27	40	74	13	22	5	11
<i>Acquired Hypothyroidism</i>	35	74	5	11	29	63	40	81	20	43	4	9	12	25	8	11	0	2
<i>Ischemic Heart Disease</i>	38	85	8	17	62	128	25	51	34	74	6	12	26	50	9	15	7	13
<i>Osteoporosis</i>	33	79	3	6	20	36	10	24	14	33	6	8	12	23	4	5	1	3
<i>Rheumatoid Arthritis/Osteoarthritis</i>	67	151	11	22	65	127	30	71	49	85	9	22	32	53	9	16	4	9
<i>Stroke / Transient Ischemic Attack</i>	12	22	3	6	10	25	6	15	18	26	3	5	7	14	0	0	1	1

DNA Availability is based on Source DNA, extracted DNA and DNA Pending Extraction.

Serum Availability is based on prediagnostic availability - 2+ parent vials that did not undergo an uncontrolled thaw in a study year, or if .1+ mL of material from aliquots are available.