

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
All	39106	100.0	38338	100.0	77444	100.0	39103	100.0	38340	100.0	77443	100.0
Did the Participant Return the BQ?												
<i>No</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Yes</i>	37953	97.1	36406	95.0	74359	96.0	38162	97.6	37448	97.7	75610	97.6
Method of Questionnaire Administration												
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	173	0.4	271	0.7	444	0.6	210	0.5	269	0.7	479	0.6
<i>Self</i>	37149	95.0	35102	91.6	72251	93.3	37417	95.7	36284	94.6	73701	95.2
<i>Self With Assistance</i>	260	0.7	534	1.4	794	1.0	305	0.8	539	1.4	844	1.1
<i>In-Person Interview By SC Staff</i>	26	0.1	43	0.1	69	0.1	91	0.2	98	0.3	189	0.2
<i>In-Person Interview By Other</i>	70	0.2	151	0.4	221	0.3	65	0.2	167	0.4	232	0.3
<i>Telephone</i>	275	0.7	305	0.8	580	0.7	74	0.2	91	0.2	165	0.2
Race												
<i>White, Non-Hispanic</i>	33566	85.8	32134	83.8	65700	84.8	33829	86.5	33043	86.2	66872	86.3
<i>Black, Non-Hispanic</i>	2168	5.5	1657	4.3	3825	4.9	2170	5.5	1713	4.5	3883	5.0
<i>Hispanic</i>	610	1.6	787	2.1	1397	1.8	605	1.5	816	2.1	1421	1.8
<i>Asian</i>	1308	3.3	1476	3.8	2784	3.6	1259	3.2	1532	4.0	2791	3.6
<i>Pacific Islander</i>	201	0.5	234	0.6	435	0.6	170	0.4	230	0.6	400	0.5
<i>American Indian</i>	89	0.2	95	0.2	184	0.2	113	0.3	92	0.2	205	0.3
<i>Missing</i>	1164	3.0	1955	5.1	3119	4.0	957	2.4	914	2.4	1871	2.4
Are You Of Hispanic Origin?												
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	933	2.4	1039	2.7	1972	2.5	865	2.2	1057	2.8	1922	2.5
<i>Not Hispanic</i>	36365	93.0	34508	90.0	70873	91.5	36650	93.7	35516	92.6	72166	93.2
<i>Hispanic</i>	655	1.7	859	2.2	1514	2.0	647	1.7	875	2.3	1522	2.0
Education												
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	135	0.3	149	0.4	284	0.4	63	0.2	63	0.2	126	0.2
<i>Less Than 8 Years</i>	266	0.7	460	1.2	726	0.9	287	0.7	463	1.2	750	1.0
<i>8-11 Years</i>	2200	5.6	2534	6.6	4734	6.1	2232	5.7	2638	6.9	4870	6.3
<i>12 Years Or Completed High School</i>	10456	26.7	6666	17.4	17122	22.1	10454	26.7	6818	17.8	17272	22.3
<i>Post High School Training Other Than Col</i>	4930	12.6	4518	11.8	9448	12.2	4847	12.4	4529	11.8	9376	12.1
<i>Some College</i>	8710	22.3	7424	19.4	16134	20.8	8915	22.8	7643	19.9	16558	21.4

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	<i>Control-Arm Women</i>	<i>Control-Arm Women</i>	<i>Control-Arm Men</i>	<i>Control-Arm Men</i>	<i>All Control Arm</i>	<i>All Control Arm</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Men</i>	<i>Intervention-Arm Men</i>	<i>All Intervention Arm</i>	<i>All Intervention Arm</i>
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>College Graduate</i>	5602	14.3	6875	17.9	12477	16.1	5828	14.9	7037	18.4	12865	16.6
<i>Postgraduate</i>	5654	14.5	7780	20.3	13434	17.3	5536	14.2	8257	21.5	13793	17.8
Marital Status
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	123	0.3	150	0.4	273	0.4	48	0.1	62	0.2	110	0.1
<i>Married Or Living As Married</i>	26023	66.5	29958	78.1	55981	72.3	26252	67.1	30965	80.8	57217	73.9
<i>Widowed</i>	5227	13.4	1356	3.5	6583	8.5	5331	13.6	1315	3.4	6646	8.6
<i>Divorced</i>	4941	12.6	3298	8.6	8239	10.6	4888	12.5	3390	8.8	8278	10.7
<i>Separated</i>	335	0.9	397	1.0	732	0.9	368	0.9	426	1.1	794	1.0
<i>Never Married</i>	1304	3.3	1247	3.3	2551	3.3	1275	3.3	1290	3.4	2565	3.3
Occupation
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	255	0.7	233	0.6	488	0.6	144	0.4	129	0.3	273	0.4
<i>Homemaker</i>	8451	21.6	26	0.1	8477	10.9	8477	21.7	32	0.1	8509	11.0
<i>Working</i>	13211	33.8	15736	41.0	28947	37.4	13547	34.6	16731	43.6	30278	39.1
<i>Unemployed</i>	389	1.0	412	1.1	801	1.0	343	0.9	444	1.2	787	1.0
<i>Retired</i>	13897	35.5	18234	47.6	32131	41.5	13962	35.7	18415	48.0	32377	41.8
<i>Extended Sick Leave</i>	80	0.2	66	0.2	146	0.2	70	0.2	62	0.2	132	0.2
<i>Disabled</i>	787	2.0	929	2.4	1716	2.2	797	2.0	860	2.2	1657	2.1
<i>Other</i>	883	2.3	770	2.0	1653	2.1	822	2.1	775	2.0	1597	2.1
State of Birth
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Missing</i>	586	1.5	710	1.9	1296	1.7	276	0.7	370	1.0	646	0.8
<i>Foreign Country</i>	1505	3.8	1479	3.9	2984	3.9	1481	3.8	1532	4.0	3013	3.9
<i>Alabama</i>	1677	4.3	968	2.5	2645	3.4	1645	4.2	1009	2.6	2654	3.4
<i>Alaska</i>	6	0.0	8	0.0	14	0.0	5	0.0	7	0.0	12	0.0
<i>Arizona</i>	61	0.2	60	0.2	121	0.2	56	0.1	56	0.1	112	0.1
<i>Arkansas</i>	255	0.7	191	0.5	446	0.6	281	0.7	206	0.5	487	0.6
<i>California</i>	657	1.7	552	1.4	1209	1.6	672	1.7	574	1.5	1246	1.6
<i>Colorado</i>	821	2.1	1060	2.8	1881	2.4	814	2.1	1092	2.8	1906	2.5
<i>Connecticut</i>	97	0.2	103	0.3	200	0.3	94	0.2	86	0.2	180	0.2
<i>Delaware</i>	11	0.0	8	0.0	19	0.0	11	0.0	24	0.1	35	0.0
<i>District Of Columbia</i>	197	0.5	242	0.6	439	0.6	231	0.6	225	0.6	456	0.6
<i>Florida</i>	101	0.3	107	0.3	208	0.3	128	0.3	106	0.3	234	0.3

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
<i>Georgia</i>	227	0.6	176	0.5	403	0.5	250	0.6	178	0.5	428	0.6
<i>Hawaii</i>	1276	3.3	1457	3.8	2733	3.5	1228	3.1	1507	3.9	2735	3.5
<i>Idaho</i>	984	2.5	351	0.9	1335	1.7	920	2.4	367	1.0	1287	1.7
<i>Illinois</i>	1870	4.8	1746	4.6	3616	4.7	1830	4.7	1803	4.7	3633	4.7
<i>Indiana</i>	364	0.9	326	0.9	690	0.9	361	0.9	330	0.9	691	0.9
<i>Iowa</i>	580	1.5	659	1.7	1239	1.6	623	1.6	698	1.8	1321	1.7
<i>Kansas</i>	364	0.9	335	0.9	699	0.9	360	0.9	400	1.0	760	1.0
<i>Kentucky</i>	274	0.7	233	0.6	507	0.7	237	0.6	187	0.5	424	0.5
<i>Louisiana</i>	100	0.3	97	0.3	197	0.3	100	0.3	97	0.3	197	0.3
<i>Maine</i>	49	0.1	31	0.1	80	0.1	41	0.1	48	0.1	89	0.1
<i>Maryland</i>	164	0.4	156	0.4	320	0.4	153	0.4	145	0.4	298	0.4
<i>Massachusetts</i>	213	0.5	285	0.7	498	0.6	238	0.6	312	0.8	550	0.7
<i>Michigan</i>	4580	11.7	3274	8.5	7854	10.1	4604	11.8	3307	8.6	7911	10.2
<i>Minnesota</i>	3630	9.3	5145	13.4	8775	11.3	3929	10.0	5716	14.9	9645	12.5
<i>Mississippi</i>	265	0.7	185	0.5	450	0.6	237	0.6	174	0.5	411	0.5
<i>Missouri</i>	2453	6.3	1807	4.7	4260	5.5	2453	6.3	1770	4.6	4223	5.5
<i>Montana</i>	144	0.4	125	0.3	269	0.3	149	0.4	120	0.3	269	0.3
<i>Nebraska</i>	343	0.9	405	1.1	748	1.0	373	1.0	391	1.0	764	1.0
<i>Nevada</i>	51	0.1	32	0.1	83	0.1	42	0.1	46	0.1	88	0.1
<i>New Hampshire</i>	40	0.1	39	0.1	79	0.1	30	0.1	33	0.1	63	0.1
<i>New Jersey</i>	247	0.6	251	0.7	498	0.6	262	0.7	287	0.7	549	0.7
<i>New Mexico</i>	81	0.2	126	0.3	207	0.3	94	0.2	126	0.3	220	0.3
<i>New York</i>	833	2.1	972	2.5	1805	2.3	809	2.1	1004	2.6	1813	2.3
<i>North Carolina</i>	171	0.4	157	0.4	328	0.4	165	0.4	159	0.4	324	0.4
<i>North Dakota</i>	284	0.7	344	0.9	628	0.8	275	0.7	348	0.9	623	0.8
<i>Ohio</i>	1156	3.0	1063	2.8	2219	2.9	1184	3.0	1105	2.9	2289	3.0
<i>Oklahoma</i>	228	0.6	222	0.6	450	0.6	214	0.5	201	0.5	415	0.5
<i>Oregon</i>	176	0.5	97	0.3	273	0.4	180	0.5	105	0.3	285	0.4
<i>Pennsylvania</i>	3798	9.7	3826	10.0	7624	9.8	3795	9.7	3856	10.1	7651	9.9
<i>Rhode Island</i>	43	0.1	36	0.1	79	0.1	44	0.1	53	0.1	97	0.1
<i>South Carolina</i>	86	0.2	67	0.2	153	0.2	84	0.2	75	0.2	159	0.2
<i>South Dakota</i>	241	0.6	286	0.7	527	0.7	280	0.7	304	0.8	584	0.8
<i>Tennessee</i>	274	0.7	221	0.6	495	0.6	341	0.9	228	0.6	569	0.7
<i>Texas</i>	319	0.8	348	0.9	667	0.9	324	0.8	316	0.8	640	0.8

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
<i>Utah</i>	1637	4.2	1426	3.7	3063	4.0	1636	4.2	1444	3.8	3080	4.0
<i>Vermont</i>	19	0.0	25	0.1	44	0.1	16	0.0	23	0.1	39	0.1
<i>Virginia</i>	178	0.5	179	0.5	357	0.5	192	0.5	167	0.4	359	0.5
<i>Washington</i>	161	0.4	128	0.3	289	0.4	184	0.5	138	0.4	322	0.4
<i>West Virginia</i>	336	0.9	287	0.7	623	0.8	355	0.9	325	0.8	680	0.9
<i>Wisconsin</i>	3443	8.8	3758	9.8	7201	9.3	3573	9.1	4028	10.5	7601	9.8
<i>Wyoming</i>	146	0.4	140	0.4	286	0.4	149	0.4	141	0.4	290	0.4
<i>Puerto Rico</i>	11	0.0	14	0.0	25	0.0	9	0.0	10	0.0	19	0.0
<i>U.S. Territories</i>	3	0.0	4	0.0	7	0.0	5	0.0	3	0.0	8	0.0
<i>Canada</i>	137	0.4	77	0.2	214	0.3	140	0.4	86	0.2	226	0.3
Cigarette Smoking Status
<i>Ambiguous</i>	1	0.0	.	.	1	0.0	.	.	1	0.0	1	0.0
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	2	0.0	12	0.0	14	0.0	6	0.0	11	0.0	17	0.0
<i>Never Smoked Cigarettes</i>	21092	53.9	13183	34.4	34275	44.3	21260	54.4	13733	35.8	34993	45.2
<i>Current Cigarette Smoker</i>	3692	9.4	4286	11.2	7978	10.3	3703	9.5	4372	11.4	8075	10.4
<i>Former Cigarette Smoker</i>	13166	33.7	18925	49.4	32091	41.4	13193	33.7	19331	50.4	32524	42.0
of Cigarettes Smoked Per Day
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	51	0.1	77	0.2	128	0.2	44	0.1	55	0.1	99	0.1
<i>0</i>	21092	53.9	13183	34.4	34275	44.3	21260	54.4	13733	35.8	34993	45.2
<i>1-10</i>	6350	16.2	3846	10.0	10196	13.2	6427	16.4	4007	10.5	10434	13.5
<i>11-20</i>	5997	15.3	8397	21.9	14394	18.6	6044	15.5	8904	23.2	14948	19.3
<i>21-30</i>	2662	6.8	5415	14.1	8077	10.4	2582	6.6	5368	14.0	7950	10.3
<i>31-40</i>	1191	3.0	3255	8.5	4446	5.7	1240	3.2	3154	8.2	4394	5.7
<i>41-60</i>	519	1.3	1787	4.7	2306	3.0	461	1.2	1804	4.7	2265	2.9
<i>61-80</i>	69	0.2	341	0.9	410	0.5	90	0.2	344	0.9	434	0.6
<i>81+</i>	22	0.1	105	0.3	127	0.2	14	0.0	79	0.2	93	0.1
Ever Smoked Cigars?
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	756	1.9	309	0.8	1065	1.4	535	1.4	151	0.4	686	0.9
<i>Never</i>	37029	94.7	27070	70.6	64099	82.8	37445	95.8	27911	72.8	65356	84.4
<i>Current Cigar Smoker</i>	30	0.1	1244	3.2	1274	1.6	32	0.1	1272	3.3	1304	1.7
<i>Former Cigar Smoker</i>	138	0.4	7783	20.3	7921	10.2	150	0.4	8114	21.2	8264	10.7

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
Ever Smoked a Pipe?
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	657	1.7	322	0.8	979	1.3	454	1.2	160	0.4	614	0.8
<i>Never</i>	37213	95.2	25815	67.3	63028	81.4	37605	96.2	26669	69.6	64274	83.0
<i>Current Pipe Smoker</i>	13	0.0	686	1.8	699	0.9	14	0.0	733	1.9	747	1.0
<i>Former Pipe Smoker</i>	70	0.2	9583	25.0	9653	12.5	89	0.2	9886	25.8	9975	12.9
Usually Filtered or Non-Filtered?
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	39	0.1	80	0.2	119	0.2	33	0.1	45	0.1	78	0.1
<i>Not Applicable</i>	21092	53.9	13183	34.4	34275	44.3	21260	54.4	13733	35.8	34993	45.2
<i>Filter</i>	14709	37.6	14952	39.0	29661	38.3	14675	37.5	15567	40.6	30242	39.1
<i>Non-Filter</i>	1456	3.7	5706	14.9	7162	9.2	1504	3.8	5796	15.1	7300	9.4
<i>About Equal</i>	657	1.7	2485	6.5	3142	4.1	690	1.8	2307	6.0	2997	3.9
Smoke Regularly Now?
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	3	0.0	13	0.0	16	0.0	6	0.0	12	0.0	18	0.0
<i>Not Applicable</i>	21092	53.9	13183	34.4	34275	44.3	21260	54.4	13733	35.8	34993	45.2
<i>No</i>	13166	33.7	18924	49.4	32090	41.4	13193	33.7	19331	50.4	32524	42.0
<i>Yes</i>	3692	9.4	4286	11.2	7978	10.3	3703	9.5	4372	11.4	8075	10.4
Ever Smoke Regularly >= 6 Months?
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	2	0.0	12	0.0	14	0.0	6	0.0	11	0.0	17	0.0
<i>No</i>	21092	53.9	13183	34.4	34275	44.3	21260	54.4	13733	35.8	34993	45.2
<i>Yes</i>	16859	43.1	23211	60.5	40070	51.7	16896	43.2	23704	61.8	40600	52.4
Has Family History of Any Cancer?
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	175	0.4	142	0.4	317	0.4	103	0.3	96	0.3	199	0.3
<i>No</i>	15297	39.1	17443	45.5	32740	42.3	15372	39.3	18021	47.0	33393	43.1
<i>Yes</i>	22481	57.5	18821	49.1	41302	53.3	22687	58.0	19331	50.4	42018	54.3
of Brothers
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	443	1.1	261	0.7	704	0.9	298	0.8	139	0.4	437	0.6
<i>None</i>	8437	21.6	8645	22.5	17082	22.1	8590	22.0	8908	23.2	17498	22.6
<i>One</i>	11546	29.5	10817	28.2	22363	28.9	11761	30.1	11031	28.8	22792	29.4

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
<i>Two</i>	7820	20.0	7071	18.4	14891	19.2	7734	19.8	7639	19.9	15373	19.9
<i>Three</i>	4404	11.3	4327	11.3	8731	11.3	4479	11.5	4306	11.2	8785	11.3
<i>Four</i>	2412	6.2	2425	6.3	4837	6.2	2486	6.4	2385	6.2	4871	6.3
<i>Five</i>	1454	3.7	1388	3.6	2842	3.7	1352	3.5	1457	3.8	2809	3.6
<i>Six</i>	670	1.7	730	1.9	1400	1.8	741	1.9	775	2.0	1516	2.0
<i>Seven Or More</i>	767	2.0	742	1.9	1509	1.9	721	1.8	808	2.1	1529	2.0
of Sisters
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	502	1.3	393	1.0	895	1.2	354	0.9	239	0.6	593	0.8
<i>None</i>	9379	24.0	8447	22.0	17826	23.0	9424	24.1	8786	22.9	18210	23.5
<i>One</i>	11192	28.6	11251	29.3	22443	29.0	11312	28.9	11607	30.3	22919	29.6
<i>Two</i>	7395	18.9	7346	19.2	14741	19.0	7642	19.5	7481	19.5	15123	19.5
<i>Three</i>	4346	11.1	4240	11.1	8586	11.1	4250	10.9	4341	11.3	8591	11.1
<i>Four</i>	2417	6.2	2254	5.9	4671	6.0	2482	6.3	2325	6.1	4807	6.2
<i>Five</i>	1331	3.4	1206	3.1	2537	3.3	1265	3.2	1298	3.4	2563	3.3
<i>Six</i>	683	1.7	656	1.7	1339	1.7	709	1.8	709	1.8	1418	1.8
<i>Seven Or More</i>	708	1.8	613	1.6	1321	1.7	724	1.9	662	1.7	1386	1.8
BMI at Baseline (In lb/in2)
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	515	1.3	678	1.8	1193	1.5	355	0.9	393	1.0	748	1.0
Height Or Weight Not In Reasonable Range	116	0.3	75	0.2	191	0.2	112	0.3	72	0.2	184	0.2
<i>0-18.5</i>	429	1.1	117	0.3	546	0.7	434	1.1	145	0.4	579	0.7
<i>18.5-25</i>	15058	38.5	9463	24.7	24521	31.7	15026	38.4	9877	25.8	24903	32.2
<i>25-30</i>	12824	32.8	18070	47.1	30894	39.9	12949	33.1	18494	48.2	31443	40.6
<i>30+</i>	9011	23.0	8003	20.9	17014	22.0	9286	23.7	8467	22.1	17753	22.9
Use Aspirin Regularly?
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	158	0.4	378	1.0	536	0.7	105	0.3	231	0.6	336	0.4
<i>No</i>	21823	55.8	17320	45.2	39143	50.5	21981	56.2	17911	46.7	39892	51.5
<i>Yes</i>	15972	40.8	18708	48.8	34680	44.8	16076	41.1	19306	50.4	35382	45.7
of Aspirin per Month
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	173	0.4	154	0.4	327	0.4	141	0.4	81	0.2	222	0.3

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
<i>No Regular Use</i>	21144	54.1	16585	43.3	37729	48.7	21382	54.7	17215	44.9	38597	49.8
<i><2 / Month</i>	2039	5.2	2517	6.6	4556	5.9	1865	4.8	2297	6.0	4162	5.4
<i>2-3 / Month</i>	1662	4.2	1516	4.0	3178	4.1	1596	4.1	1457	3.8	3053	3.9
<i>4 / Month</i>	425	1.1	397	1.0	822	1.1	455	1.2	411	1.1	866	1.1
<i>8 / Month</i>	1323	3.4	1217	3.2	2540	3.3	1321	3.4	1240	3.2	2561	3.3
<i>12-16 / Month</i>	2970	7.6	3144	8.2	6114	7.9	2956	7.6	3338	8.7	6294	8.1
<i>30 / Month</i>	6061	15.5	8985	23.4	15046	19.4	6190	15.8	9516	24.8	15706	20.3
<i>60+ / Month</i>	2156	5.5	1891	4.9	4047	5.2	2256	5.8	1893	4.9	4149	5.4
of Aspirin
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	173	0.4	154	0.4	327	0.4	141	0.4	81	0.2	222	0.3
<i>None</i>	21144	54.1	16585	43.3	37729	48.7	21382	54.7	17215	44.9	38597	49.8
<i>1/Day</i>	6061	15.5	8985	23.4	15046	19.4	6190	15.8	9516	24.8	15706	20.3
<i>2+/Day</i>	2156	5.5	1891	4.9	4047	5.2	2256	5.8	1893	4.9	4149	5.4
<i>1/Week</i>	425	1.1	397	1.0	822	1.1	455	1.2	411	1.1	866	1.1
<i>2/Week</i>	1323	3.4	1217	3.2	2540	3.3	1321	3.4	1240	3.2	2561	3.3
<i>3-4/Week</i>	2970	7.6	3144	8.2	6114	7.9	2956	7.6	3338	8.7	6294	8.1
<i><2/Month</i>	2039	5.2	2517	6.6	4556	5.9	1865	4.8	2297	6.0	4162	5.4
<i>2-3/Month</i>	1662	4.2	1516	4.0	3178	4.1	1596	4.1	1457	3.8	3053	3.9
Use Ibuprofen Regularly?
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	308	0.8	224	0.6	532	0.7	204	0.5	110	0.3	314	0.4
<i>No</i>	25400	65.0	27795	72.5	53195	68.7	25622	65.5	28622	74.7	54244	70.0
<i>Yes</i>	12245	31.3	8387	21.9	20632	26.6	12336	31.5	8716	22.7	21052	27.2
of Ibuprofen per Month
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	381	1.0	252	0.7	633	0.8	258	0.7	135	0.4	393	0.5
<i>No Regular Use</i>	24752	63.3	27070	70.6	51822	66.9	25114	64.2	28028	73.1	53142	68.6
<i><2 / Month</i>	2282	5.8	2301	6.0	4583	5.9	2082	5.3	2148	5.6	4230	5.5
<i>2-3 / Month</i>	2054	5.3	1358	3.5	3412	4.4	2026	5.2	1444	3.8	3470	4.5
<i>4 / Month</i>	418	1.1	301	0.8	719	0.9	420	1.1	328	0.9	748	1.0
<i>8 / Month</i>	1237	3.2	829	2.2	2066	2.7	1195	3.1	821	2.1	2016	2.6
<i>12-16 / Month</i>	2462	6.3	1557	4.1	4019	5.2	2546	6.5	1673	4.4	4219	5.4
<i>30 / Month</i>	1043	2.7	734	1.9	1777	2.3	1099	2.8	785	2.0	1884	2.4

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
60+ / Month	3324	8.5	2004	5.2	5328	6.9	3422	8.8	2086	5.4	5508	7.1
# of Ibuprofen												
No Form	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
Not Answered	381	1.0	252	0.7	633	0.8	258	0.7	135	0.4	393	0.5
None	24752	63.3	27070	70.6	51822	66.9	25114	64.2	28028	73.1	53142	68.6
1/Day	1043	2.7	734	1.9	1777	2.3	1099	2.8	785	2.0	1884	2.4
2+/Day	3324	8.5	2004	5.2	5328	6.9	3422	8.8	2086	5.4	5508	7.1
1/Week	418	1.1	301	0.8	719	0.9	420	1.1	328	0.9	748	1.0
2/Week	1237	3.2	829	2.2	2066	2.7	1195	3.1	821	2.1	2016	2.6
3-4/Week	2462	6.3	1557	4.1	4019	5.2	2546	6.5	1673	4.4	4219	5.4
<2/Month	2282	5.8	2301	6.0	4583	5.9	2082	5.3	2148	5.6	4230	5.5
2-3/Month	2054	5.3	1358	3.5	3412	4.4	2026	5.2	1444	3.8	3470	4.5
Arthritis												
No Form	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
Not Answered	340	0.9	329	0.9	669	0.9	196	0.5	167	0.4	363	0.5
No	20384	52.1	25154	65.6	45538	58.8	20528	52.5	26215	68.4	46743	60.4
Yes	17229	44.1	10923	28.5	28152	36.4	17438	44.6	11066	28.9	28504	36.8
Bronchitis												
No Form	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
Not Answered	338	0.9	342	0.9	680	0.9	192	0.5	163	0.4	355	0.5
No	35378	90.5	34770	90.7	70148	90.6	35709	91.3	35911	93.7	71620	92.5
Yes	2237	5.7	1294	3.4	3531	4.6	2261	5.8	1374	3.6	3635	4.7
Colon Comorbidities												
No Form	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
Missing	493	1.3	467	1.2	960	1.2	337	0.9	285	0.7	622	0.8
No	36826	94.2	35521	92.7	72347	93.4	37175	95.1	36722	95.8	73897	95.4
Yes	634	1.6	418	1.1	1052	1.4	650	1.7	441	1.2	1091	1.4
Diabetes												
No Form	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
Not Answered	321	0.8	315	0.8	636	0.8	166	0.4	151	0.4	317	0.4
No	35202	90.0	32821	85.6	68023	87.8	35572	91.0	33892	88.4	69464	89.7
Yes	2430	6.2	3270	8.5	5700	7.4	2424	6.2	3405	8.9	5829	7.5
Diverticulitis/Diverticulosis												
No Form	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	359	0.9	367	1.0	726	0.9	216	0.6	187	0.5	403	0.5
<i>No</i>	35553	90.9	33133	86.4	68686	88.7	35796	91.5	34208	89.2	70004	90.4
<i>Yes</i>	2041	5.2	2906	7.6	4947	6.4	2150	5.5	3053	8.0	5203	6.7
Stroke												
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	323	0.8	319	0.8	642	0.8	163	0.4	148	0.4	311	0.4
<i>No</i>	36845	94.2	35057	91.4	71902	92.8	37167	95.0	36310	94.7	73477	94.9
<i>Yes</i>	785	2.0	1030	2.7	1815	2.3	832	2.1	990	2.6	1822	2.4
Removed Ovaries												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	11	0.0			11	0.0	11	0.0			11	0.0
<i>Ovaries Not Removed</i>	29559	75.6			29559	38.2	29840	76.3			29840	38.5
<i>One Ovary - Partial</i>	408	1.0			408	0.5	401	1.0			401	0.5
<i>One Ovary - Total</i>	2142	5.5			2142	2.8	2089	5.3			2089	2.7
<i>Both Ovaries - Partial</i>	336	0.9			336	0.4	308	0.8			308	0.4
<i>Both Ovaries - Total</i>	4806	12.3			4806	6.2	4852	12.4			4852	6.3
<i>Don't Know</i>	690	1.8			690	0.9	660	1.7			660	0.9
<i>Ambiguous</i>	1	0.0			1	0.0	1	0.0			1	0.0
Ever Take Birth Control Pills?												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	80	0.2			80	0.1	55	0.1			55	0.1
<i>No</i>	17239	44.1			17239	22.3	17546	44.9			17546	22.7
<i>Yes</i>	20634	52.8			20634	26.6	20561	52.6			20561	26.5
Age Started Birth Control Pills?												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	148	0.4			148	0.2	90	0.2			90	0.1
<i>Not Applicable</i>	17235	44.1			17235	22.3	17539	44.9			17539	22.6
<i><30</i>	12339	31.6			12339	15.9	12297	31.4			12297	15.9
<i>30-39</i>	6786	17.4			6786	8.8	6798	17.4			6798	8.8
<i>40-49</i>	1318	3.4			1318	1.7	1299	3.3			1299	1.7

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
50+	127	0.3	.	.	127	0.2	139	0.4	.	.	139	0.2
Total Years Took Birth Control Pills?
No Form	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
Wrong Gender	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
Not Answered	135	0.3	.	.	135	0.2	97	0.2	.	.	97	0.1
Not Applicable	17235	44.1	.	.	17235	22.3	17536	44.8	.	.	17536	22.6
10+ Years	4775	12.2	.	.	4775	6.2	4686	12.0	.	.	4686	6.1
6-9 Years	3450	8.8	.	.	3450	4.5	3310	8.5	.	.	3310	4.3
4-5 Years	2868	7.3	.	.	2868	3.7	2755	7.0	.	.	2755	3.6
2-3 Years	3966	10.1	.	.	3966	5.1	4250	10.9	.	.	4250	5.5
< 1 Year	5524	14.1	.	.	5524	7.1	5528	14.1	.	.	5528	7.1
Currently Using Female Hormones?
No Form	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
Wrong Gender	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
Not Answered	258	0.7	.	.	258	0.3	198	0.5	.	.	198	0.3
No	19152	49.0	.	.	19152	24.7	19199	49.1	.	.	19199	24.8
Yes	18543	47.4	.	.	18543	23.9	18765	48.0	.	.	18765	24.2
Female Hormone Status
No Form	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
Wrong Gender	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
Missing	80	0.2	.	.	80	0.1	49	0.1	.	.	49	0.1
Never	12759	32.6	.	.	12759	16.5	12680	32.4	.	.	12680	16.4
Current	18535	47.4	.	.	18535	23.9	18753	48.0	.	.	18753	24.2
Former	6366	16.3	.	.	6366	8.2	6488	16.6	.	.	6488	8.4
Unknown Whether Current Or Former
Doesn't Know If She Ever Took HRT	58	0.1	.	.	58	0.1	43	0.1	.	.	43	0.1
Doesn't Know If She Ever Took HRT	155	0.4	.	.	155	0.2	149	0.4	.	.	149	0.2
Ever Take Female Hormones?
No Form	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
Wrong Gender	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
Not Answered	80	0.2	.	.	80	0.1	49	0.1	.	.	49	0.1
No	12759	32.6	.	.	12759	16.5	12680	32.4	.	.	12680	16.4
Yes	24959	63.8	.	.	24959	32.2	25284	64.7	.	.	25284	32.6
Don't Know	155	0.4	.	.	155	0.2	149	0.4	.	.	149	0.2

Baseline Questionnaire Frequencies
Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	<i>Control-Arm Women</i>	<i>Control-Arm Women</i>	<i>Control-Arm Men</i>	<i>Control-Arm Men</i>	<i>All Control Arm</i>	<i>All Control Arm</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Men</i>	<i>Intervention-Arm Men</i>	<i>All Intervention Arm</i>	<i>All Intervention Arm</i>
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
# of Years Taking Female Hormones												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	346	0.9			346	0.4	302	0.8			302	0.4
<i>Not Applicable</i>	12686	32.4			12686	16.4	12619	32.3			12619	16.3
<i>10+ Years</i>	9037	23.1			9037	11.7	9183	23.5			9183	11.9
<i>6-9 Years</i>	4488	11.5			4488	5.8	4653	11.9			4653	6.0
<i>4-5 Years</i>	3261	8.3			3261	4.2	3273	8.4			3273	4.2
<i>2-3 Years</i>	3837	9.8			3837	5.0	3743	9.6			3743	4.8
<i><= 1 Year</i>	4298	11.0			4298	5.5	4389	11.2			4389	5.7
Age at Birth of First Child?												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	856	2.2			856	1.1	871	2.2			871	1.1
<i>Not Applicable</i>	2878	7.4			2878	3.7	2837	7.3			2837	3.7
<i><16</i>	216	0.6			216	0.3	187	0.5			187	0.2
<i>16-19</i>	6270	16.0			6270	8.1	6341	16.2			6341	8.2
<i>20-24</i>	17435	44.6			17435	22.5	17682	45.2			17682	22.8
<i>25-29</i>	7598	19.4			7598	9.8	7645	19.6			7645	9.9
<i>30-34</i>	2032	5.2			2032	2.6	1921	4.9			1921	2.5
<i>35-39</i>	545	1.4			545	0.7	573	1.5			573	0.7
<i>40+</i>	123	0.3			123	0.2	105	0.3			105	0.1
# of Live Births												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	59	0.2			59	0.1	66	0.2			66	0.1
<i>Zero</i>	3523	9.0			3523	4.5	3562	9.1			3562	4.6
<i>One</i>	2937	7.5			2937	3.8	2912	7.4			2912	3.8
<i>Two</i>	8955	22.9			8955	11.6	9020	23.1			9020	11.6
<i>Three</i>	9316	23.8			9316	12.0	9382	24.0			9382	12.1
<i>Four</i>	6318	16.2			6318	8.2	6371	16.3			6371	8.2
<i>Five Or More</i>	6845	17.5			6845	8.8	6849	17.5			6849	8.8
# of Miscarriages/Abortions												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2

Baseline Questionnaire Frequencies
Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	<i>Control-Arm Women</i>	<i>Control-Arm Women</i>	<i>Control-Arm Men</i>	<i>Control-Arm Men</i>	<i>All Control Arm</i>	<i>All Control Arm</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Men</i>	<i>Intervention-Arm Men</i>	<i>All Intervention Arm</i>	<i>All Intervention Arm</i>
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	144	0.4	.	.	144	0.2	127	0.3	.	.	127	0.2
<i>0</i>	24795	63.4	.	.	24795	32.0	25008	64.0	.	.	25008	32.3
<i>1</i>	8351	21.4	.	.	8351	10.8	8411	21.5	.	.	8411	10.9
<i>2+</i>	4663	11.9	.	.	4663	6.0	4616	11.8	.	.	4616	6.0
Ever Been Pregnant?
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	11	0.0	.	.	11	0.0	11	0.0	.	.	11	0.0
<i>No</i>	2878	7.4	.	.	2878	3.7	2837	7.3	.	.	2837	3.7
<i>Yes</i>	35022	89.6	.	.	35022	45.2	35264	90.2	.	.	35264	45.5
<i>Don't Know</i>	42	0.1	.	.	42	0.1	50	0.1	.	.	50	0.1
Age When First Became Pregnant?
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	122	0.3	.	.	122	0.2	113	0.3	.	.	113	0.1
<i>Not Applicable</i>	2878	7.4	.	.	2878	3.7	2837	7.3	.	.	2837	3.7
<i><15</i>	123	0.3	.	.	123	0.2	132	0.3	.	.	132	0.2
<i>15-19</i>	8733	22.3	.	.	8733	11.3	8787	22.5	.	.	8787	11.3
<i>20-24</i>	17337	44.3	.	.	17337	22.4	17561	44.9	.	.	17561	22.7
<i>25-29</i>	6683	17.1	.	.	6683	8.6	6734	17.2	.	.	6734	8.7
<i>30-34</i>	1596	4.1	.	.	1596	2.1	1503	3.8	.	.	1503	1.9
<i>35-39</i>	411	1.1	.	.	411	0.5	422	1.1	.	.	422	0.5
<i>40+</i>	70	0.2	.	.	70	0.1	73	0.2	.	.	73	0.1
of Pregnancies
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	99	0.3	.	.	99	0.1	79	0.2	.	.	79	0.1
<i>None</i>	2878	7.4	.	.	2878	3.7	2837	7.3	.	.	2837	3.7
<i>1</i>	2189	5.6	.	.	2189	2.8	2202	5.6	.	.	2202	2.8
<i>2</i>	6715	17.2	.	.	6715	8.7	6761	17.3	.	.	6761	8.7
<i>3-4</i>	15310	39.2	.	.	15310	19.8	15456	39.5	.	.	15456	20.0
<i>5-9</i>	10003	25.6	.	.	10003	12.9	10102	25.8	.	.	10102	13.0
<i>10+</i>	759	1.9	.	.	759	1.0	725	1.9	.	.	725	0.9

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
# of Still Birth Pregnancies												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	329	0.8			329	0.4	241	0.6			241	0.3
<i>0</i>	35975	92.0			35975	46.5	36242	92.7			36242	46.8
<i>1</i>	1332	3.4			1332	1.7	1352	3.5			1352	1.7
<i>2+</i>	317	0.8			317	0.4	327	0.8			327	0.4
Ever Tried to Become Pregnant for a Year or More Without Success?												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	174	0.4			174	0.2	163	0.4			163	0.2
<i>No</i>	32306	82.6			32306	41.7	32468	83.0			32468	41.9
<i>Yes</i>	5473	14.0			5473	7.1	5531	14.1			5531	7.1
# of Tubal/Ectopic Pregnancies?												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	177	0.5			177	0.2	149	0.4			149	0.2
<i>0</i>	37001	94.6			37001	47.8	37221	95.2			37221	48.1
<i>1</i>	720	1.8			720	0.9	749	1.9			749	1.0
<i>2+</i>	55	0.1			55	0.1	43	0.1			43	0.1
Ever Have Benign or Fibrocystic Breast Disease?												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	1121	2.9			1121	1.4	734	1.9			734	0.9
<i>No</i>	26296	67.2			26296	34.0	26822	68.6			26822	34.6
<i>Yes</i>	10536	26.9			10536	13.6	10606	27.1			10606	13.7
Ever Have Endometriosis?												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	2226	5.7			2226	2.9	1514	3.9			1514	2.0
<i>No</i>	32700	83.6			32700	42.2	33589	85.9			33589	43.4

Baseline Questionnaire Frequencies
Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	<i>Control-Arm Women</i>	<i>Control-Arm Women</i>	<i>Control-Arm Men</i>	<i>Control-Arm Men</i>	<i>All Control Arm</i>	<i>All Control Arm</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Men</i>	<i>Intervention-Arm Men</i>	<i>All Intervention Arm</i>	<i>All Intervention Arm</i>
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>Yes</i>	3027	7.7	.	.	3027	3.9	3059	7.8	.	.	3059	4.0
<i>Ever Have a Hysterectomy?</i>
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	83	0.2	.	.	83	0.1	32	0.1	.	.	32	0.0
<i>No</i>	24130	61.7	.	.	24130	31.2	24219	61.9	.	.	24219	31.3
<i>Yes</i>	13701	35.0	.	.	13701	17.7	13874	35.5	.	.	13874	17.9
<i>Don't Know</i>	39	0.1	.	.	39	0.1	37	0.1	.	.	37	0.0
<i>Age at Hysterectomy</i>
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	171	0.4	.	.	171	0.2	122	0.3	.	.	122	0.2
<i>Not Applicable</i>	24130	61.7	.	.	24130	31.2	24219	61.9	.	.	24219	31.3
<i><40</i>	4823	12.3	.	.	4823	6.2	5046	12.9	.	.	5046	6.5
<i>40-44</i>	3287	8.4	.	.	3287	4.2	3325	8.5	.	.	3325	4.3
<i>45-49</i>	2874	7.3	.	.	2874	3.7	2721	7.0	.	.	2721	3.5
<i>50-54</i>	1589	4.1	.	.	1589	2.1	1634	4.2	.	.	1634	2.1
<i>55+</i>	1079	2.8	.	.	1079	1.4	1095	2.8	.	.	1095	1.4
<i>Had Mammogram in Past 3 Years?</i>
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	88	0.2	.	.	88	0.1	45	0.1	.	.	45	0.1
<i>No</i>	3571	9.1	.	.	3571	4.6	3479	8.9	.	.	3479	4.5
<i>Yes, Once</i>	7276	18.6	.	.	7276	9.4	7358	18.8	.	.	7358	9.5
<i>Yes, More Than Once</i>	26937	68.9	.	.	26937	34.8	27200	69.6	.	.	27200	35.1
<i>Don't Know</i>	81	0.2	.	.	81	0.1	80	0.2	.	.	80	0.1
<i>Ever Have Benign Ovarian Tumor/Cyst?</i>
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	2022	5.2	.	.	2022	2.6	1415	3.6	.	.	1415	1.8
<i>No</i>	31203	79.8	.	.	31203	40.3	32138	82.2	.	.	32138	41.5
<i>Yes</i>	4728	12.1	.	.	4728	6.1	4609	11.8	.	.	4609	6.0
<i>Had Pap Smear in Past 3 Years?</i>
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	110	0.3	.	.	110	0.1	62	0.2	.	.	62	0.1
<i>No</i>	6268	16.0	.	.	6268	8.1	6277	16.1	.	.	6277	8.1
<i>Yes, Once</i>	8571	21.9	.	.	8571	11.1	8414	21.5	.	.	8414	10.9
<i>Yes. More Than Once</i>	22734	58.1	.	.	22734	29.4	23123	59.1	.	.	23123	29.9
<i>Don't Know</i>	270	0.7	.	.	270	0.3	286	0.7	.	.	286	0.4
<i>Had Pelvic Exam in Past 3 Years?</i>
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	12	0.0	.	.	12	0.0	16	0.0	.	.	16	0.0
<i>No</i>	6188	15.8	.	.	6188	8.0	6246	16.0	.	.	6246	8.1
<i>Yes, Once</i>	8100	20.7	.	.	8100	10.5	7843	20.1	.	.	7843	10.1
<i>Yes. More Than Once</i>	23099	59.1	.	.	23099	29.8	23488	60.1	.	.	23488	30.3
<i>Don't Know</i>	554	1.4	.	.	554	0.7	569	1.5	.	.	569	0.7
<i>Ever Tubes Tied?</i>
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	178	0.5	.	.	178	0.2	137	0.4	.	.	137	0.2
<i>No</i>	29556	75.6	.	.	29556	38.2	29856	76.4	.	.	29856	38.6
<i>Yes</i>	8155	20.9	.	.	8155	10.5	8109	20.7	.	.	8109	10.5
<i>Don't Know</i>	64	0.2	.	.	64	0.1	60	0.2	.	.	60	0.1
<i>Ever Have Uterine Fibroid Tumors?</i>
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	1644	4.2	.	.	1644	2.1	1118	2.9	.	.	1118	1.4
<i>No</i>	28105	71.9	.	.	28105	36.3	28754	73.5	.	.	28754	37.1
<i>Yes</i>	8204	21.0	.	.	8204	10.6	8290	21.2	.	.	8290	10.7
<i>Age When Had First Menstrual Period?</i>
<i>No Form</i>	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
<i>Wrong Gender</i>	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
<i>Not Answered</i>	124	0.3	.	.	124	0.2	87	0.2	.	.	87	0.1
<i><10</i>	634	1.6	.	.	634	0.8	602	1.5	.	.	602	0.8
<i>10-11</i>	7130	18.2	.	.	7130	9.2	7089	18.1	.	.	7089	9.2
<i>12-13</i>	20146	51.5	.	.	20146	26.0	20651	52.8	.	.	20651	26.7

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
14-15	8152	20.8	.	.	8152	10.5	8049	20.6	.	.	8049	10.4
16+	1767	4.5	.	.	1767	2.3	1684	4.3	.	.	1684	2.2
Age at Menopause
No Form	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
Wrong Gender	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
Not Answered	336	0.9	.	.	336	0.4	308	0.8	.	.	308	0.4
<40	5378	13.8	.	.	5378	6.9	5544	14.2	.	.	5544	7.2
40-44	5288	13.5	.	.	5288	6.8	5364	13.7	.	.	5364	6.9
45-49	9005	23.0	.	.	9005	11.6	8988	23.0	.	.	8988	11.6
50-54	13731	35.1	.	.	13731	17.7	13776	35.2	.	.	13776	17.8
55+	4215	10.8	.	.	4215	5.4	4182	10.7	.	.	4182	5.4
Type of Menopause
No Form	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
Wrong Gender	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
Not Answered	734	1.9	.	.	734	0.9	673	1.7	.	.	673	0.9
Natural Menopause	23102	59.1	.	.	23102	29.8	23235	59.4	.	.	23235	30.0
Surgery	12750	32.6	.	.	12750	16.5	12888	33.0	.	.	12888	16.6
Radiation	42	0.1	.	.	42	0.1	65	0.2	.	.	65	0.1
Drug Therapy	1325	3.4	.	.	1325	1.7	1301	3.3	.	.	1301	1.7
Reason menstrual periods stopped.
No Form	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
Wrong gender	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
Natural postmenopausal	23423	59.9	.	.	23423	30.2	23512	60.1	.	.	23512	30.4
Bilateral ovariectomy	4186	10.7	.	.	4186	5.4	4228	10.8	.	.	4228	5.5
Hysterectomy, no bilat. ovariect.	7753	19.8	.	.	7753	10.0	7897	20.2	.	.	7897	10.2
Surgical, details unclear	811	2.1	.	.	811	1.0	763	2.0	.	.	763	1.0
Drug therapy	1325	3.4	.	.	1325	1.7	1301	3.3	.	.	1301	1.7
Radiation	42	0.1	.	.	42	0.1	65	0.2	.	.	65	0.1
Postmenopausal, reason unknown	64	0.2	.	.	64	0.1	32	0.1	.	.	32	0.0
Menopausal status unknown	349	0.9	.	.	349	0.5	364	0.9	.	.	364	0.5
Post-Menopausal Status
No form	1153	2.9	.	.	1153	1.5	941	2.4	.	.	941	1.2
Wrong gender	.	.	38338	100.0	38338	49.5	.	.	38340	100.0	38340	49.5
Definitely post-menopausal	37604	96.2	.	.	37604	48.6	37798	96.7	.	.	37798	48.8

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
<i>Possibly post-menopausal</i>	349	0.9	.	.	349	0.5	364	0.9	.	.	364	0.5
<i>Ever Have Enlarged Prostate or BPH?</i>
<i>No Form</i>	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
<i>Wrong Gender</i>	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
<i>Not Answered</i>	.	.	99	0.3	99	0.1	.	.	38	0.1	38	0.0
<i>No</i>	.	.	28434	74.2	28434	36.7	.	.	29212	76.2	29212	37.7
<i>Yes</i>	.	.	7873	20.5	7873	10.2	.	.	8198	21.4	8198	10.6
<i>How Old When Told Had Enlarged Prostate or BPH?</i>
<i>No Form</i>	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
<i>Wrong Gender</i>	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
<i>Not Answered</i>	.	.	138	0.4	138	0.2	.	.	73	0.2	73	0.1
<i>Not Applicable</i>	.	.	28434	74.2	28434	36.7	.	.	29212	76.2	29212	37.7
<i><30</i>	.	.	157	0.4	157	0.2	.	.	174	0.5	174	0.2
<i>30-39</i>	.	.	242	0.6	242	0.3	.	.	229	0.6	229	0.3
<i>40-49</i>	.	.	669	1.7	669	0.9	.	.	702	1.8	702	0.9
<i>50-59</i>	.	.	3381	8.8	3381	4.4	.	.	3578	9.3	3578	4.6
<i>60-69</i>	.	.	3086	8.0	3086	4.0	.	.	3184	8.3	3184	4.1
<i>70+</i>	.	.	299	0.8	299	0.4	.	.	296	0.8	296	0.4
<i>Ever Have Inflamed Prostate?</i>
<i>No Form</i>	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
<i>Wrong Gender</i>	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
<i>Not Answered</i>	.	.	5936	15.5	5936	7.7	.	.	6297	16.4	6297	8.1
<i>No</i>	.	.	27885	72.7	27885	36.0	.	.	28527	74.4	28527	36.8
<i>Yes</i>	.	.	2585	6.7	2585	3.3	.	.	2624	6.8	2624	3.4
<i>How Old When Told Had Inflamed Prostate?</i>
<i>No Form</i>	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
<i>Wrong Gender</i>	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
<i>Not Answered</i>	.	.	5949	15.5	5949	7.7	.	.	6316	16.5	6316	8.2
<i>Not Applicable</i>	.	.	27885	72.7	27885	36.0	.	.	28527	74.4	28527	36.8
<i><30</i>	.	.	295	0.8	295	0.4	.	.	280	0.7	280	0.4
<i>30-39</i>	.	.	319	0.8	319	0.4	.	.	347	0.9	347	0.4
<i>40-49</i>	.	.	461	1.2	461	0.6	.	.	464	1.2	464	0.6

Baseline Questionnaire Frequencies
Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	<i>Control-Arm Women</i>	<i>Control-Arm Women</i>	<i>Control-Arm Men</i>	<i>Control-Arm Men</i>	<i>All Control Arm</i>	<i>All Control Arm</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Men</i>	<i>Intervention-Arm Men</i>	<i>All Intervention Arm</i>	<i>All Intervention Arm</i>
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>50-59</i>	.	.	847	2.2	847	1.1	.	.	891	2.3	891	1.2
<i>60-69</i>	.	.	584	1.5	584	0.8	.	.	575	1.5	575	0.7
<i>70+</i>	.	.	66	0.2	66	0.1	.	.	48	0.1	48	0.1
<i>Have Problem with Prostate?</i>
<i>No Form</i>	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
<i>Wrong Gender</i>	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
<i>Missing</i>	.	.	124	0.3	124	0.2	.	.	42	0.1	42	0.1
<i>No</i>	.	.	27146	70.8	27146	35.1	.	.	27882	72.7	27882	36.0
<i>Yes</i>	.	.	9136	23.8	9136	11.8	.	.	9524	24.8	9524	12.3
<i>During The Past Year, How Many Times Did you Wake Up At Night To Urinate</i>
<i>No Form</i>	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
<i>Wrong Gender</i>	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
<i>Not Answered</i>	.	.	98	0.3	98	0.1	.	.	41	0.1	41	0.1
<i>Never</i>	.	.	5797	15.1	5797	7.5	.	.	6057	15.8	6057	7.8
<i>Once</i>	.	.	18812	49.1	18812	24.3	.	.	19490	50.8	19490	25.2
<i>Twice</i>	.	.	7954	20.7	7954	10.3	.	.	8062	21.0	8062	10.4
<i>Three Times</i>	.	.	2678	7.0	2678	3.5	.	.	2723	7.1	2723	3.5
<i>More Than 3 Times</i>	.	.	1028	2.7	1028	1.3	.	.	1048	2.7	1048	1.4
<i>Not Never</i>	.	.	39	0.1	39	0.1	.	.	27	0.1	27	0.0
<i>Age At Which Began Waking Up To Urinate More Than Once A Night</i>
<i>No Form</i>	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
<i>Wrong Gender</i>	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
<i>Not Answered</i>	.	.	167	0.4	167	0.2	.	.	96	0.3	96	0.1
<i>Not Applicable</i>	.	.	23401	61.0	23401	30.2	.	.	24529	64.0	24529	31.7
<i><30</i>	.	.	574	1.5	574	0.7	.	.	588	1.5	588	0.8
<i>30-39</i>	.	.	487	1.3	487	0.6	.	.	484	1.3	484	0.6
<i>40-49</i>	.	.	1501	3.9	1501	1.9	.	.	1468	3.8	1468	1.9
<i>50-59</i>	.	.	5777	15.1	5777	7.5	.	.	5808	15.1	5808	7.5
<i>60-69</i>	.	.	4118	10.7	4118	5.3	.	.	4107	10.7	4107	5.3
<i>70+</i>	.	.	381	1.0	381	0.5	.	.	368	1.0	368	0.5
<i>Age at First Prostate Surgery</i>
<i>No Form</i>	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	Control-Arm Women	Control-Arm Women	Control-Arm Men	Control-Arm Men	All Control Arm	All Control Arm	Intervention-Arm Women	Intervention-Arm Women	Intervention-Arm Men	Intervention-Arm Men	All Intervention Arm	All Intervention Arm
	N	%	N	%	N	%	N	%	N	%	N	%
Wrong Gender	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
Not Answered	.	.	812	2.1	812	1.0	.	.	756	2.0	756	1.0
Not Applicable	.	.	32758	85.4	32758	42.3	.	.	33821	88.2	33821	43.7
<40	.	.	55	0.1	55	0.1	.	.	50	0.1	50	0.1
40-49	.	.	213	0.6	213	0.3	.	.	197	0.5	197	0.3
50-59	.	.	1044	2.7	1044	1.3	.	.	1076	2.8	1076	1.4
60-69	.	.	1368	3.6	1368	1.8	.	.	1382	3.6	1382	1.8
70+	.	.	156	0.4	156	0.2	.	.	166	0.4	166	0.2
Ever Have Any Prostate Surgeries?
No Form	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
Wrong Gender	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
Not Answered	.	.	30	0.1	30	0.0	.	.	18	0.0	18	0.0
No	.	.	32758	85.4	32758	42.3	.	.	33821	88.2	33821	43.7
Yes	.	.	3057	8.0	3057	3.9	.	.	3045	7.9	3045	3.9
Don't Know	.	.	561	1.5	561	0.7	.	.	564	1.5	564	0.7
Ever Have Biopsy of Prostate?
No Form	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
Wrong Gender	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
Not Answered	.	.	1120	2.9	1120	1.4	.	.	1021	2.7	1021	1.3
No	.	.	33510	87.4	33510	43.3	.	.	34630	90.3	34630	44.7
Yes	.	.	1776	4.6	1776	2.3	.	.	1797	4.7	1797	2.3
Ever Had Prostatectomy for Benign Disease?
No Form	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
Wrong Gender	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
Not Answered	.	.	1230	3.2	1230	1.6	.	.	1144	3.0	1144	1.5
No	.	.	35064	91.5	35064	45.3	.	.	36196	94.4	36196	46.7
Yes	.	.	112	0.3	112	0.1	.	.	108	0.3	108	0.1
Ever Had Transurethral Resection of Prostate?
No Form	.	.	1932	5.0	1932	2.5	.	.	892	2.3	892	1.2
Wrong Gender	39106	100.0	.	.	39106	50.5	39103	100.0	.	.	39103	50.5
Not Answered	.	.	1209	3.2	1209	1.6	.	.	1123	2.9	1123	1.5
No	.	.	34149	89.1	34149	44.1	.	.	35236	91.9	35236	45.5

Baseline Questionnaire Frequencies
Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	<i>Control-Arm Women</i>	<i>Control-Arm Women</i>	<i>Control-Arm Men</i>	<i>Control-Arm Men</i>	<i>All Control Arm</i>	<i>All Control Arm</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Men</i>	<i>Intervention-Arm Men</i>	<i>All Intervention Arm</i>	<i>All Intervention Arm</i>
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	993	2.5	1340	3.5	2333	3.0	1103	2.8	1433	3.7	2536	3.3
<i>No</i>	19567	50.0	19588	51.1	39155	50.6	19804	50.6	20842	54.4	40646	52.5
<i>Yes</i>	17393	44.5	15478	40.4	32871	42.4	17255	44.1	15173	39.6	32428	41.9
<i>Had Blood Test for Prostate Cancer in Past 3 Years?</i>												
<i>No Form</i>			1932	5.0	1932	2.5			892	2.3	892	1.2
<i>Wrong Gender</i>	39106	100.0			39106	50.5	39103	100.0			39103	50.5
<i>Not Answered</i>			13	0.0	13	0.0			7	0.0	7	0.0
<i>No</i>			16381	42.7	16381	21.2			17271	45.0	17271	22.3
<i>Yes, Once</i>			13135	34.3	13135	17.0			13252	34.6	13252	17.1
<i>Yes, More Than Once</i>			3760	9.8	3760	4.9			3588	9.4	3588	4.6
<i>Don't Know</i>			3117	8.1	3117	4.0			3330	8.7	3330	4.3
<i>Had a Digital Rectal Exam in Past 3 Years?</i>												
<i>No Form</i>			1932	5.0	1932	2.5			892	2.3	892	1.2
<i>Wrong Gender</i>	39106	100.0			39106	50.5	39103	100.0			39103	50.5
<i>Not Answered</i>			15	0.0	15	0.0			8	0.0	8	0.0
<i>No</i>			14666	38.3	14666	18.9			15362	40.1	15362	19.8
<i>Yes, Once</i>			12247	31.9	12247	15.8			12566	32.8	12566	16.2
<i>Yes, More Than Once</i>			8448	22.0	8448	10.9			8528	22.2	8528	11.0
<i>Don't Know</i>			1030	2.7	1030	1.3			984	2.6	984	1.3
<i>Had a Test for Blood in Stool in Past 3 Years?</i>												
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	4	0.0	16	0.0	20	0.0	8	0.0	8	0.0	16	0.0
<i>No</i>	20760	53.1	21457	56.0	42217	54.5	20992	53.7	22864	59.6	43856	56.6
<i>Yes, Once</i>	8510	21.8	9277	24.2	17787	23.0	8341	21.3	9051	23.6	17392	22.5
<i>Yes, More Than Once</i>	7732	19.8	4368	11.4	12100	15.6	7761	19.8	4091	10.7	11852	15.3
<i>Don't Know</i>	947	2.4	1288	3.4	2235	2.9	1060	2.7	1434	3.7	2494	3.2
<i>Had Ultrasound/Scan of the Ovaries In Past 3 Years?</i>												
<i>No Form</i>	1153	2.9			1153	1.5	941	2.4			941	1.2
<i>Wrong Gender</i>			38338	100.0	38338	49.5			38340	100.0	38340	49.5
<i>Not Answered</i>	11	0.0			11	0.0	13	0.0			13	0.0

Baseline Questionnaire Frequencies

Table 1: Summary frequencies for all categorical variables within the Baseline Questionnaire.

	<i>Control-Arm Women</i>	<i>Control-Arm Women</i>	<i>Control-Arm Men</i>	<i>Control-Arm Men</i>	<i>All Control Arm</i>	<i>All Control Arm</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Women</i>	<i>Intervention-Arm Men</i>	<i>Intervention-Arm Men</i>	<i>All Intervention Arm</i>	<i>All Intervention Arm</i>
	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>	<i>N</i>	<i>%</i>
<i>No</i>	33987	86.9	.	.	33987	43.9	34189	87.4	.	.	34189	44.1
<i>Yes, Once</i>	2548	6.5	.	.	2548	3.3	2516	6.4	.	.	2516	3.2
<i>Yes, More Than Once</i>	716	1.8	.	.	716	0.9	722	1.8	.	.	722	0.9
<i>Don't Know</i>	691	1.8	.	.	691	0.9	722	1.8	.	.	722	0.9
<i>Had a Chest X-Ray in Past 3 Years?</i>												
<i>No Form</i>	1153	2.9	1932	5.0	3085	4.0	941	2.4	892	2.3	1833	2.4
<i>Not Answered</i>	9	0.0	15	0.0	24	0.0	8	0.0	8	0.0	16	0.0
<i>No</i>	17117	43.8	15172	39.6	32289	41.7	16882	43.2	15423	40.2	32305	41.7
<i>Yes, Once</i>	12043	30.8	12303	32.1	24346	31.4	12111	31.0	12337	32.2	24448	31.6
<i>Yes, More Than Once</i>	7297	18.7	7566	19.7	14863	19.2	7580	19.4	8096	21.1	15676	20.2
<i>Don't Know</i>	1487	3.8	1350	3.5	2837	3.7	1581	4.0	1584	4.1	3165	4.1